



Laboratories Certified/Accepted to Perform Analyses on Public Drinking Water

Ohio Environmental Protection Agency
Division of Drinking and Ground Waters

November 2020

| | |
|--|---|
| Cyanotoxin and Cyanobacteria Screening: | Cyanotoxin Analysis (Total Microcystins by ELISA), Cyanobacteria Screening (Determination of Cyanobacteria and Cyanotoxin Producing Genes by qPCR) |
| Microbiological: | Escherichia coli (E. coli) and Total Coliform: MMO-MUG, Quanti-Tray, Membrane Filtration |
| Pesticide - SOC: | Aldicarb, Aldicarb Sulfone, Aldicarb Sulfoxide, Carbaryl, Carbofuran, 3-Hydroxycarbofuran, Methomyl, Oxamyl (Vydate), Dalapon, Dicamba, 2,4-D, Dinoseb, Pentachlorophenol, Picloram, 2,4,5-TP (Silvex), Alachlor, Atrazine, Butachlor, Metolachlor, Metribuzin, Propachlor, Simazine, Aldrin, Chlordane (Total), Dieldrin, Endrin, Heptachlor, Heptachlor Epoxide, Hexachlorobenzene, Hexachlorocyclopentadiene, Lindane, Methoxychlor, Toxaphene, Di(2-Ethylhexyl)Phthalate, Di(2-Ethylhexyl) Adipate, Glyphosate, Endothall, Diquat, 2,3,7,8-TCDD (Dioxin), Benzo[a]Pyrene, EDB, DBCP, 1,2,3-TCP, PCBs (as Decachlorobiphenyl), Perchlorate |
| Radiochemistry: | Gross Alpha, Gross Beta, Radium-226, Radium-228, Uranium, Tritium, Iodine-131, Radioactive Cesium, Radioactive Iodine, Radioactive Strontium 89 and 90, Gamma Emitters |
| Standard Chemistry: | Alkalinity, Bromide, Chloride, Chlorine, Chlorite, Chlorine Dioxide, Cyanide, Fluoride, Hardness, Nitrate, Nitrite, Ortho Phosphate, pH, Phosphorous, Stability, Sulfate, TDS, TOC/DOC, Turbidity, UV 254 |
| Trace Metals: | Primary: Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Copper, Lead, Mercury, Nickel, Selenium, Thallium Secondary: Aluminum, Calcium Iron, Magnesium, Manganese, Silicon, Silver, Sodium, Zinc |
| Volatile Organic Compounds: | HAAs, Regulated VOCs, TTHM, Vinyl Chloride |
| Other: | Asbestos, Cryptosporidium, Per/Polyfluorinated Alkyl Substances (PFAS) |

***Please contact lab for detailed information about the analyses offered.**

Disclaimer:

This information is provided for informational purposes only and should not be construed as an endorsement of a particular laboratory. Other laboratories may hold acceptance for these parameters and may not appear here for various reasons, such as not offering commercial services or pending applications. If you have questions about the acceptance status of a particular laboratory, please contact the Ohio EPA Laboratory Certification staff at DWLabCert@epa.ohio.gov or (614) 644-4245.

Laboratories Certified/Accepted to Perform Analyses on Public Drinking Water

| Laboratory | HABs | Microbiological | Chemistry | Other |
|---|---------------|------------------------|---|-----------------|
| Adams Water Lab, Inc. 912 East Tallmadge Avenue, Akron, OH 44310 (330) 633-3991 | | MMO-MUG Quanti-Tray | Standard Chemistry Trace Metals | |
| Advanced Analytics Laboratory 1025 Concord Avenue, Columbus, OH 43212 (614) 299-9922 | | | Volatile Organic Compounds | |
| Alloway Lima Laboratory 1101 North Cole Street, Lima, OH 45805 (419) 223-1362 or (800) 436-1243 | | MMO-MUG Quanti-Tray | | |
| Alloway Marion Laboratory 1776 Marion-Waldo Road, Marion, OH 43302 (740) 389-5991 or (800) 873-2835 | ELISA qPCR | MMO-MUG Quanti-Tray | Standard Chemistry Trace Metals Volatile Organic Compounds Pesticide - SOC | |
| Alpha Analytical, Inc. – Mansfield 320 Forbes Boulevard Mansfield, MA 02048 | | | | PFAS |
| ALS Environmental – Holland 3352 128 th Avenue, Holland, MI 49424 (616) 399-6070 | | | | PFAS |
| ALS Environmental - Kelso 1317 South 13 th Avenue, Kelso, WA 98626 (800) 695-7222 | | | | PFAS |
| ALS Laboratory Group 4388 Glendale-Milford Road, Cincinnati, OH 45242 (513) 733-5336 | | | Trace Metals | Asbestos |
| American Analytical Laboratories, Inc. 840 South Main Street, Akron, OH 44311 (330) 535-1300 | | MMO-MUG | Standard Chemistry Trace Metals | |
| Analytical Services, Inc. 130 Allen Brook Lane, Williston, VT 05495 (800) 723-4432 | | Quanti-Tray | | Cryptosporidium |
| Aqua Pennsylvania, Inc. – Bryn Mawr 762 W. Lancaster Avenue Bryn Mawr, PA 19010 | | | Standard Chemistry Trace Metals Volatile Organic Compounds | |
| Archbold Water Plant Laboratory 700 North Street, Archbold, OH 43502 (419) 445-2506 | ELISA | | | |

Laboratories Certified/Accepted to Perform Analyses on Public Drinking Water

| Laboratory | HABs | Microbiological | Chemistry | Other |
|--|-------|------------------------|---|----------|
| Benchmark Environmental Labs, Inc. 4319 Indianola Avenue, Columbus, OH 43214 (614) 267-4588 | | MMO-MUG | | |
| Biosolutions, LLC 10180 Queens Way, Suite 6, Chagrin Falls, OH 44023 (440) 708-2999 | | MMO-MUG | Standard Chemistry Trace Metals | |
| BoJhun Environmental Services 222 S. Main Street, Fostoria, OH 44830 (419) 436-7066 | | MMO-MUG Quanti-Tray | | |
| Brookside Laboratories, Inc. 200 White Mountain Drive, New Bremen, OH 45869 (419) 977-2766 | | MMO-MUG Quanti-Tray | Standard Chemistry Trace Metals Volatile Organic Compounds Pesticide - SOC | |
| Bryan Water Plant Laboratory 841 East Edgerton Street, Bryan, OH 43506 (419) 633-6160 | | MMO-MUG Quanti-Tray | | |
| Bureau Veritas North America, Inc. 3380 Chastain Meadows Parkway, Suite 300, Kennesaw, GA 30144 (800) 806-5887 | | | | Asbestos |
| Canton City Health Department 420 North Market Avenue, Canton, OH 44702 (330) 489-3231 | | MMO-MUG Quanti-Tray | | |
| Canton Water Laboratory 2664 Harrisburg Road NE, Canton, OH 44705 (330) 489-3035 | | MMO-MUG | Standard Chemistry | |
| Cardinal Environmental Lab, LLC 2870 Salt Springs Road, Youngstown, OH 44509 (330) 797-8844 or (800) 523-0347 | | MMO-MUG Quanti-Tray | Standard Chemistry Trace Metals Volatile Organic Compounds | |
| Celina Water Department Laboratory 714 South Sugar Street, Celina, OH 45822 (419) 586-2270 | ELISA | MMO-MUG Quanti-Tray | | |
| CETEC Cleveland Environmental Technology, Inc. 5000 Euclid Avenue, Suite 311, Cleveland, OH 44103 (216) 361-0517 | | MMO-MUG | | |
| Cincinnati Miller WTP Laboratory 5651 Kellogg Avenue, Cincinnati, OH 45230 (513) 624-5600 | | MMO-MUG Quanti-Tray | | |

Laboratories Certified/Accepted to Perform Analyses on Public Drinking Water

| Laboratory | HABs | Microbiological | Chemistry | Other |
|---|-------|---|--|-------------------------|
| Cleveland Water Compliance Laboratory 1245 West 45 th Street, Cleveland, OH 44102 (216) 664-3171 | ELISA | MMO-MUG | | |
| Con-Test Analytical Laboratory 39 Spruce Street, East Longmeadow, MA 01028 (413) 525-2332 | | | | PFAS |
| Coshocton Environmental Testing, LLC 709 Main Street, Coshocton, OH 43812 (740) 622-3328 or (800) 870-6570 | | MMO-MUG Quanti-Tray | Standard Chemistry Trace Metals Volatile Organic Compounds | |
| CWM Environmental, Inc. 4450 Johnston Parkway, Suite B, Cleveland, OH 44128 (216) 663-0808 | | MMO-MUG | Standard Chemistry Trace Metals Volatile Organic Compounds | |
| Dayton Central Water Quality Laboratory 3210 Chuck Wagner Lane, Dayton, OH 45414 (937) 333-6093 | | MMO-MUG Quanti-Tray Membrane Filtration | Standard Chemistry Trace Metals Volatile Organic Compounds | |
| Eastern Lab Services, Ltd. 1035 Medina Road, Suite 500, Medina, OH 44254 (330) 670-7920 or (877) 357-5227 | | MMO-MUG Quanti-Tray | | |
| Elyria Water Works Laboratory 3628 West Erie Avenue, Lorain, OH 44053 (440) 244-4310 | ELISA | | | |
| EMSL Analytical, Inc. 200 Route 130 North, Cinnaminson, NJ 08077 (800) 220-3675 | | | | Cryptosporidium |
| Enthalpy Analytical, LLC 2714 Exchange Drive Wilmington, NC 28405 | | | | PFAS |
| EnviroScience 5070 Stow Road, Stow, OH 44224 (330) 688-0111 | ELISA | | | |
| Erie County Health Department Laboratory 420 Superior Street, Sandusky, OH 44870 (419) 626-5623 | ELISA | MMO-MUG Quanti-Tray | | |
| Eurofins CEI, Inc. 730 SE Maynard Road, Cary, NC 27511 (919) 481-1413 | | | | Asbestos |
| Eurofins Eaton Analytical, LLC 110 South Hill Street, South Bend, IN 46617 (800) 332-4345 or (574) 472-5523 | | Quanti-Tray | Radiochemistry | Cryptosporidium PFAS |

Laboratories Certified/Accepted to Perform Analyses on Public Drinking Water

| Laboratory | HABs | Microbiological | Chemistry | Other |
|---|-------|------------------------|--|----------|
| Eurofins TestAmerica Sacramento 880 Riverside Parkway, Sacramento, CA 95605 (916) 374-4308 | | | | PFAS |
| Geauga County Department of Water Resources 470 Center Street, Building 3, Chardon, OH 44024 (440) 285-2603 | | MMO-MUG Quanti-Tray | Standard Chemistry | |
| Greene County Sanitary Engineering Laboratory 422 Factory Road, Beavercreek, OH 45434-6214 (937) 562-7450 | | MMO-MUG | Standard Chemistry | |
| Holmes Laboratory, Inc. 3559 U.S. Highway 62, Millersburg, OH 44654 (330) 893-2933 | | MMO-MUG Quanti-Tray | | |
| Industrial Fluid Management, Inc. 2926 U.S. Highway 6, McClure, OH 43534 (419) 748-7438 | | MMO-MUG | | |
| International Asbestos Testing Lab 9000 Commerce Parkway, Suite B, Mt. Laurel, NJ 08054 (856) 231-9449 | | | | Asbestos |
| Jackson County Water Company Laboratory 124 West Huron Street, Jackson, OH 45640 (740) 288-4815 | | MMO-MUG | | |
| Jones & Henry Laboratories 2567 Tracy Road, Northwood, OH 43619 (419) 666-0411 | | | Standard Chemistry Trace Metals Volatile Organic Compounds | |
| Lake County West Subdistrict Laboratory 38265 Aquarius Parkway, Willoughby, OH 44094 (440) 918-3420 | ELISA | | | |
| Leetonia WTP Laboratory 1 Saint Peter's Street, Leetonia, OH 44431 (330) 427-8087 | | MMO-MUG Quanti-Tray | | |
| Logan County Health District Laboratory 310 South Main Street, Bellefontaine, OH 43311 (937) 592-9040 | | MMO-MUG Quanti-Tray | | |
| Mahoning County Board of Health 50 Westchester Drive, Youngstown, OH 44515 (330) 270-2855 | | MMO-MUG Quanti-Tray | Standard Chemistry Trace Metals | |

Laboratories Certified/Accepted to Perform Analyses on Public Drinking Water

| Laboratory | HABs | Microbiological | Chemistry | Other |
|--|---------------|---|---|-----------------|
| MASI Laboratory 7940 Memorial Drive, Plain City, OH 43064 (614) 873-4654 | | MMO-MUG Quanti-Tray Membrane Filtration | Standard Chemistry Trace Metals Volatile Organic Compounds Pesticide - SOC | |
| Montgomery County Environmental 4257 Dryden Road, Dayton, OH 45439 (937) 781-3016 | | MMO-MUG Quanti-Tray | Standard Chemistry Trace Metals | |
| NEORS Analytical Services 4747 East 49th Street, Cuyahoga Heights, OH 44125 (216) 641-6000 | ELISA qPCR | MMO-MUG Quanti-Tray | Standard Chemistry Trace Metals | |
| NovaChem Laboratories, Inc. 5172 College Corner Pike, Oxford, OH 45056 (513) 523-3605 | | | Standard Chemistry | |
| Ohio Department of Agriculture Consumer Protection Laboratory 8995 East Main Street, Reynoldsburg, OH 43068 (614) 728-6230 | | MMO-MUG | | |
| Pace Analytical Services, LLC - Dayton 25 Holiday Drive, Englewood, OH 45322 (800) 723-5227 | | MMO-MUG Quanti-Tray | Standard Chemistry Trace Metals Volatile Organic Compounds Pesticide - SOC | |
| Pace Analytical Service, LLC – Gulf Coast 7979 Innovation Park Drive Baton Rouge, LA 70769-7402 (225) 769-4900 | | | | PFAS |
| Pace Analytical Services, LLC - Madisonville 825 Industrial Road, Madisonville, KY 42431 (270) 821-7375 | | | | Cryptosporidium |
| Pace Analytical Services, LLC – Minneapolis 1700 Elm Street SE, Suite 200, Minneapolis, MN 55414 (612) 607-6352 | | | Pesticide - SOC | |
| Pace Analytical Services, LLC – Ormond Beach 8 East Tower Circle, Ormond Beach, FL 32174 (386) 672-5668 | | | | PFAS |
| Pace Analytical Services, LLC - Pittsburgh 1638 Roseytown Road, Suites 2,3 and 4, Greensburg, PA 15601 (724) 850-5600 | | | Radiochemistry | |
| Pace Analytical Services, LLC – West Columbia 106 Vantage Point Drive, West Columbia, SC 29172 (803) 227-2702 | | | | PFAS |

Laboratories Certified/Accepted to Perform Analyses on Public Drinking Water

| Laboratory | HABs | Microbiological | Chemistry | Other |
|---|-------|------------------------|---|-----------------|
| Perry Environmental Laboratory 552 West Broadway Street, New Lexington, OH 43764 (740) 343-7078 | | MMO-MUG Quanti-Tray | | |
| Q Laboratories 1911 Radcliff Drive, Cincinnati, OH 45204 (513) 471-1300 | | MMO-MUG | | |
| Ream & Haager Laboratories, Inc. 179 West Broadway Street, Dover, OH 44622 (330) 343-3711 | | MMO-MUG Quanti-Tray | Standard Chemistry Trace Metals Volatile Organic Compounds | |
| Scientific Methods, Inc. 12441 Beckley Street, Granger, IN 46530 (574) 277-4078 | | Quanti-Tray | | Cryptosporidium |
| SGS North America Inc. - Orlando 4405 Vineland Road, Suite C-15, Orlando, FL 32811 (407) 425-6700 | | | | PFAS |
| SGS North America Inc. – Wilmington 5500 Business Drive, Wilmington, NC 28405 (910) 350-1903 | | | | PFAS |
| Summit Environmental Technologies, Inc. 3310 Win Street, Cuyahoga Falls, OH 44223 (330) 253-8211 | | | Standard Chemistry Trace Metals Volatile Organic Compounds Pesticide – SOC Radiochemistry | |
| Superior Laboratories 1075 Amity Road, Galloway, OH 43119 (614) 870-6826 | | MMO-MUG Quanti-Tray | | |
| The Ohio State University Stone Laboratory 878 Bayview Drive, Put-in-Bay, OH 43456 (419) 285-1845 | ELISA | | | |
| Twin City Water Plant Laboratory 4194 Indian Hill Road, Uhrichsville, OH 44683 (740) 922-2082 | | MMO-MUG | | |
| Vista Analytical Laboratory 1104 Windfield Way El Dorado Hills, CA 95762 (916) 673-1520 | | | | PFAS |
| Willard Water Plant Laboratory 540 Central Ave., Willard, OH 44890 (419) 933-4001 | ELISA | | | |

Laboratories Certified/Accepted to Perform Analyses on Public Drinking Water