

OH7200012 APOLLO MOBILE HOME PARK

System Type: Community Operating Period: 1/1 to 12/31

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257898 Facility Name: APOLLO MHP

Location SMP ID: EP001 Facility Source: Ground Water Facility Class: CLASS A

# THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

## For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

Chemicals	Monitoring Requirements	
INORGANICS	Not Required	
NITRITE - 1041	Not Required	
NITRATE - 1040	1 Sample(s) Required between	6/1/2018 and 10/31/2018
RADIOLOGICALS	Not Required	
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1 <u>Sample for all the analytes listed below:</u> ALACHLOR (LASSO) - 2051 ATRAZINE - 2050 SIMAZINE - 2037	1 Sample(s) Required between	6/1/2018 and 10/31/2018
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required	



OH7200012 APOLLO MOBILE HOME PARK

System Type: Community Operating Period: 1/1 to 12/31

Ground Water Rule Substantial System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: APOLLO MOBILE HOME PARK DISTRIBUTION
Location SMP ID: DS000

Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/20	8 and 1/31/2018
	1 Sample(s) Required between 2/1/201	8 and 2/28/2018
	1 Sample(s) Required between 3/1/201	8 and 3/31/2018
	1 Sample(s) Required between 4/1/201	8 and 4/30/2018
	1 Sample(s) Required between 5/1/201	8 and 5/31/2018
	1 Sample(s) Required between 6/1/201	8 and 6/30/2018
	1 Sample(s) Required between 7/1/201	8 and 7/31/2018
	1 Sample(s) Required between 8/1/201	8 and 8/31/2018
	1 Sample(s) Required between 9/1/201	8 and 9/30/2018
	1 Sample(s) Required between 10/1/201	8 and 10/31/2018
	1 Sample(s) Required between 11/1/201	8 and 11/30/2018
	1 Sample(s) Required between 12/1/201	8 and 12/31/2018
TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/20	8 and 1/31/2018
	1 Sample(s) Required between 2/1/201	8 and 2/28/2018
	1 Sample(s) Required between 3/1/201	8 and 3/31/2018
	1 Sample(s) Required between 4/1/201	8 and 4/30/2018
	1 Sample(s) Required between 5/1/201	8 and 5/31/2018
	1 Sample(s) Required between 6/1/201	8 and 6/30/2018
	1 Sample(s) Required between 7/1/201	8 and 7/31/2018
	1 Sample(s) Required between 8/1/201	8 and 8/31/2018
	1 Sample(s) Required between 9/1/201	8 and 9/30/2018
	1 Sample(s) Required between 10/1/201	8 and 10/31/2018
	1 Sample(s) Required between 11/1/201	8 and 11/30/2018
	1 Sample(s) Required between 12/1/201	8 and 12/31/2018

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Facility ID: DS1 Facility Name: APOLLO MOBILE HOME PARK DISTRIBUTION

Location SMP ID: DS201 ADDRESS NOT KNOWN

Chemicals Monitoring Requirements

DISINFECTION BYPRODUCTS

Dual Sample Required between 7/1/2018 and 9/30/2018 at: DS201

Sample for all the analytes listed below:

1) TOTAL HALOACETIC ACIDS (HAA5) - 2456

2) TTHM - 2950



## OH7200012 APOLLO MOBILE HOME PARK

System Type: Community Operating Period: 1/1 to 12/31

Ground Water Rule Substantial System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: APOLLO MOBILE HOME PARK DISTRIBUTION Location SMP ID: LC### Refer to your Lead and Copper plan for SMP IDs

Chemicals Monitoring Requirements

LEAD - 1030 AND COPPER - 1022

5 Sample(s) Required between 6/1/2

6/1/2018 and 9/30/2018

Lead consumer notice must be completed no later than two business days after receipt of the sample results. The verification form for consumer notice must be submitted to Ohio EPA no later than five business days after receipt of the sample results. Lead and copper sample monitoring point (SMP) IDs (LC###) must be current and reflect properly tiered sites according to OAC Rule 3745-81-86. Submit lead and copper SMP ID revisions to your Ohio EPA District Office. Forms and templates are available online at http://epa.ohio.gov/ddagw/pws/leadandcopper.aspx. For questions contact your Ohio EPA District Office representative.



OH7200211 CLYDE CITY

System Type: Community Operating Period: 1/1 to 12/31

## ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257900 Facility Name: CLYDE CITY

Location SMP ID: EP001 Facility Source: Surface Water Facility Class: CLASS 3

# THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

## For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

Chemicals	Monitoring Requirements
•	1 Sample(s) Required between 6/1/2018 and 10/31/2018  BERYLLIUM, TOTAL - 1075 CADMIUM - 1015 CHROMIUM - 1020  EL - 1036 SELENIUM - 1045 THALLIUM, TOTAL - 1085
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between       1/1/2018 and 1/31/2018         1 Sample(s) Required between       2/1/2018 and 2/28/2018         1 Sample(s) Required between       3/1/2018 and 3/31/2018         1 Sample(s) Required between       4/1/2018 and 4/30/2018         1 Sample(s) Required between       5/1/2018 and 5/31/2018         1 Sample(s) Required between       6/1/2018 and 6/30/2018         1 Sample(s) Required between       7/1/2018 and 7/31/2018         1 Sample(s) Required between       8/1/2018 and 9/30/2018         1 Sample(s) Required between       9/1/2018 and 10/31/2018         1 Sample(s) Required between       10/1/2018 and 10/31/2018         1 Sample(s) Required between       12/1/2018 and 12/31/2018
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1  Sample for all the analytes listed below:	1 Sample(s) Required between 1 Sample(s) Required between 2 Sample(s) Required between 3 Sample(s) Required between 4/1/2018 and 5/31/2018 and 5/31/2018 and 6/30/2018
ALACHLOR (LASSO) - 2051 ATRAZINE - 2050 SIMAZINE - 205 VOLATILE ORGANIC CHEMICALS (VOC)	1 Sample(s) Required between 6/1/2018 and 10/31/2018
TOTAL ORGANIC CARBON (TOC)	1 Paired Sample Set Required between 1 Paired Sample Set Required between 1 Paired Sample Set Required between 2 Paired Sample Set Required between 1 Paired Sample Set Required between 2 Paired Sample Set Required between 1 Paired Sample Set Required between 2 Paired Sample Set Required between 2 Paired Sample Set Required between 3 Paired Sample Set Required between 3 Paired Sample Set Required between 4 Paired Sample Set Required between 1 Paired Sample Set Required between 2 Paired Sample Set Required between 3 Paired Sample Set Required between 3 Paired Sample Set Required between 4 Paired Sa

A paired sample set refers to one source water and one treated water sample. A source water alkalinity is also required at the same time the TOC sample is taken.



OH7200211 CLYDE CITY

System Type: Community Operating Period: 1/1 to 12/31

## ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257900 Facility Name: CLYDE CITY

Location SMP ID: EP001/LT2001 Facility Source: Surface Water Facility Class: CLASS 3

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

Chemicals Monitoring Requirements

TOTAL MICROCYSTINS

1 Sample Set Required WEEKLY\*

Total microcystins sample set refers to one raw source water sample at LT2001 and one finished water sample at EP001. A week is defined as Sunday through Saturday.

\*Weekly sampling unless requirements for reduced monitoring are met. Current reduced monitoring schedules can be found at http://epa.ohio.gov/ddagw/HAB.aspx. Reduced monitoring is contingent on a public water system continuing to experience NO raw or finished water total microcystins detections. Any total microcystins detections during routine (weekly) or reduced sampling will trigger additional sampling. Please refer to the website above for specifics on follow-up sampling requirements.



OH7200211 CLYDE CITY

System Type: Community Operating Period: 1/1 to 12/31

## ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257900 Facility Name: CLYDE CITY

Location SMP ID: LT2001 Facility Source: Surface Water Facility Class: CLASS 3

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

Chemicals	Monitoring Requirements
CYANOBACTERIA SCREENING	1 Sample(s) Required between 12/31/2017 and 1/6/2018
	1 Sample(s) Required between 1/14/2018 and 1/20/2018
	1 Sample(s) Required between 1/28/2018 and 2/3/2018
	1 Sample(s) Required between 2/11/2018 and 2/17/2018
	1 Sample(s) Required between 2/25/2018 and 3/3/2018
	1 Sample(s) Required between 3/11/2018 and 3/17/2018
	1 Sample(s) Required between 3/25/2018 and 3/31/2018
	1 Sample(s) Required between 4/8/2018 and 4/14/2018
	1 Sample(s) Required between 4/22/2018 and 4/28/2018
	1 Sample(s) Required between 5/6/2018 and 5/12/2018
	1 Sample(s) Required between 5/20/2018 and 5/26/2018
	1 Sample(s) Required between 6/3/2018 and 6/9/2018
	1 Sample(s) Required between 6/17/2018 and 6/23/2018
	1 Sample(s) Required between 7/1/2018 and 7/7/2018
	1 Sample(s) Required between 7/15/2018 and 7/21/2018
	1 Sample(s) Required between 7/29/2018 and 8/4/2018
	1 Sample(s) Required between 8/12/2018 and 8/18/2018
	1 Sample(s) Required between 8/26/2018 and 9/1/2018
	1 Sample(s) Required between 9/9/2018 and 9/15/2018
	1 Sample(s) Required between 9/23/2018 and 9/29/2018
	1 Sample(s) Required between 10/7/2018 and 10/13/2018
	1 Sample(s) Required between 10/21/2018 and 10/27/2018
	1 Sample(s) Required between 11/4/2018 and 11/10/2018
	1 Sample(s) Required between 11/18/2018 and 11/24/2018
	1 Sample(s) Required between 12/2/2018 and 12/8/2018
	1 Sample(s) Required between 12/16/2018 and 12/22/2018

Cyanobacteria screening sample is to be collected biweekly from raw source water at sample point LT2001 unless requirements for reduced monitoring are met. Current reduced monitoring schedules can be found at http://epa.ohio.gov/ddagw/HAB.aspx. As of 12/31/17, all public water systems are responsible for contracting with a lab certified to perform cyanobacteria screening (qPCR). Please review the website for further information pertaining to follow-up sampling requirements for cyanobacteria screening gene detections, and certified labs that can perform analysis.



OH7200211 CLYDE CITY

System Type: Community Operating Period: 1/1 to 12/31

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

DICTDIDI	TION M	ONITORING	CCHEDIII E
DISTRIBU		JIHUMING	SCHEDULE

Sampling Facility ID: DS1 Facility Name: CLYDE CITY DISTRIBUTION SYSTEM Facility Class: CLASS 1

Location SMP ID: DS000

Chemicals	Monitoring Requirements	
ASBESTOS - 1094	Not Required	
TOTAL COLIFORM (TCR) - 3100	7 Sample(s) Required between	1/1/2018 and 1/31/2018
	7 Sample(s) Required between	2/1/2018 and 2/28/2018
	7 Sample(s) Required between	3/1/2018 and 3/31/2018
	7 Sample(s) Required between	4/1/2018 and 4/30/2018
	7 Sample(s) Required between	5/1/2018 and 5/31/2018
	7 Sample(s) Required between	6/1/2018 and 6/30/2018
	7 Sample(s) Required between	7/1/2018 and 7/31/2018
	7 Sample(s) Required between	8/1/2018 and 8/31/2018
	7 Sample(s) Required between	9/1/2018 and 9/30/2018
	7 Sample(s) Required between	10/1/2018 and 10/31/2018
	7 Sample(s) Required between	11/1/2018 and 11/30/2018
	7 Sample(s) Required between	12/1/2018 and 12/31/2018
TOTAL CHLORINE - 1000	7 Sample(s) Required between	1/1/2018 and 1/31/2018
	7 Sample(s) Required between	2/1/2018 and 2/28/2018
	7 Sample(s) Required between	3/1/2018 and 3/31/2018
	7 Sample(s) Required between	4/1/2018 and 4/30/2018
	7 Sample(s) Required between	5/1/2018 and 5/31/2018
	7 Sample(s) Required between	6/1/2018 and 6/30/2018
	7 Sample(s) Required between	7/1/2018 and 7/31/2018
	7 Sample(s) Required between	8/1/2018 and 8/31/2018
	7 Sample(s) Required between	9/1/2018 and 9/30/2018
	7 Sample(s) Required between	10/1/2018 and 10/31/2018
	7 Sample(s) Required between	11/1/2018 and 11/30/2018
	7 Sample(s) Required between	12/1/2018 and 12/31/2018

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling	Facility ID: <b>DS1</b>	Facility Name: CLYDE CITY DISTRIBUTION SYSTEM	Facility Class: CLASS 1
Location	SMP ID: <b>DS201</b>	STN#14 AT E MCPHERSON HWY	

Chemicals	Monitoring Requirements			_
DISINFECTION BYPRODUCTS	Dual Sample Required between	2/1/2018 and	2/7/2018 at: DS201	_
	Dual Sample Required between	5/1/2018 and	5/7/2018 at: DS201	
	Dual Sample Required between	8/1/2018 and	8/7/2018 at: DS201	
	Dual Sample Required between	11/1/2018 and	11/7/2018 at: DS201	

# Sample for all the analytes listed below:

<sup>1)</sup> TOTAL HALOACETIC ACIDS (HAA5) - 2456

<sup>2)</sup> TTHM - 2950



#### OH7200211 **CLYDE CITY**

Operating Period: 1/1 to 12/31 System Type: Community

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

DISTRIBUTION MONITORING SCHEDULE					
Sampling	Facility ID: <b>DS1</b>	Facility Name: CLYDE CITY DISTRIBUTION SYSTE	М	Fa	acility Class: CLASS 1
Location	SMP ID: DS202	STN#23 WOODLAND AVE			
Chemicals		Monitoring Requirements			
DISINFECTIO	ON BYPRODUCTS	Dual Sample Required between	2/1/2018	and	2/7/2018 at: DS202
		Dual Sample Required between	5/1/2018	and	5/7/2018 at: DS202
		Dual Sample Required between	8/1/2018	and	8/7/2018 at: DS202
		Dual Sample Required between	11/1/2018	and	11/7/2018 at: DS202
Sample for all the	analytes listed below:				

- TOTAL HALOACETIC ACIDS (HAA5) 2456
- 2) TTHM 2950

Sampling Location	•		Facility Class: CLASS 1
Chemicals Monitoring Requirements			

LEAD - 1030 AND COPPER - 1022

Not Required

9/1/2018 and 9/30/2018



**Effective Date: 01/01/2018** 

OH7200311 FREMONT CITY

System Type: Community Operating Period: 1/1 to 12/31

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257901 Facility Name: FREMONT CITY

Location SMP ID: EP001 Facility Source: Surface Water Facility Class: CLASS 4

# THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

## For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS Sample for all the analytes listed below:	1 Sample(s) Required between 6/1/2018 and 10/31/2018
<u>Sample for an the analytes risted below.</u> ANTIMONY, TOTAL - 1074    ARSENIC - 1005    BARIUM - 1010    BI CYANIDE - 1024    FLUORIDE - 1025    MERCURY - 1035    NICKEL	
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 1/1/2018 and 1/31/2018
	1 Sample(s) Required between 2/1/2018 and 2/28/2018
	1 Sample(s) Required between 3/1/2018 and 3/31/2018
	1 Sample(s) Required between 4/1/2018 and 4/30/2018
	1 Sample(s) Required between 5/1/2018 and 5/31/2018
	1 Sample(s) Required between 6/1/2018 and 6/30/2018
	1 Sample(s) Required between 7/1/2018 and 7/31/2018
	1 Sample(s) Required between 8/1/2018 and 8/31/2018
	1 Sample(s) Required between 9/1/2018 and 9/30/2018
	1 Sample(s) Required between 10/1/2018 and 10/31/2018
	1 Sample(s) Required between 11/1/2018 and 11/30/2018
	1 Sample(s) Required between 12/1/2018 and 12/31/2018
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	1 Sample(s) Required between 4/1/2018 and 4/30/2018
	1 Sample(s) Required between 5/1/2018 and 5/31/2018
	1 Sample(s) Required between 6/1/2018 and 6/30/2018
<u>Sample for all the analytes listed below:</u> ALACHLOR (LASSO) - 2051     ATRAZINE - 2050      SIMAZINE - 2037	
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 2	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 3	1 Sample(s) Required between 4/1/2018 and 6/30/2018
<u>Sample for all the analytes listed below:</u> BHC-GAMMA (LINDANE) - 2010 DIQUAT - 2032 GLYPHOSATE - METHOXYCHLOR - 2015 POLYCHLORINATED BIPHENYLS (PCB)	
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 4	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	1 Sample(s) Required between 6/1/2018 and 10/31/2018
TOTAL ORGANIC CARBON (TOC)	1 Paired Sample Set Required between 1/1/2018 and 1/31/2018
	1 Paired Sample Set Required between 2/1/2018 and 2/28/2018
	1 Paired Sample Set Required between 3/1/2018 and 3/31/2018
	1 Paired Sample Set Required between 4/1/2018 and 4/30/2018
	1 Paired Sample Set Required between 5/1/2018 and 5/31/2018
	1 Paired Sample Set Required between 6/1/2018 and 6/30/2018
	1 Paired Sample Set Required between 7/1/2018 and 7/31/2018
	1 Paired Sample Set Required between 8/1/2018 and 8/31/2018
	1 D : 1 C 1 C 1 C 11 0/1/2010 1 0/20/2010

1 Paired Sample Set Required between

1 Paired Sample Set Required between 10/1/2018 and 10/31/2018



OH7200311 FREMONT CITY

System Type: Community Operating Period: 1/1 to 12/31

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257901 Facility Name: FREMONT CITY

Location SMP ID: EP001 Facility Source: Surface Water Facility Class: CLASS 4

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

Chemicals Monitoring Requirements

TOTAL ORGANIC CARBON (TOC) 1 Paired Sample Set Required between 11/1/2018 and 11/30/2018

1 Paired Sample Set Required between 12/1/2018 and 12/31/2018

A paired sample set refers to one source water and one treated water sample. A source water alkalinity is also required at the same time the TOC sample is taken.



OH7200311 FREMONT CITY

System Type: Community Operating Period: 1/1 to 12/31

## ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257901 Facility Name: FREMONT CITY

Location SMP ID: EP001/LT2001 Facility Source: Surface Water Facility Class: CLASS 4

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

Chemicals Monitoring Requirements

TOTAL MICROCYSTINS

1 Sample Set Required WEEKLY\*

Total microcystins sample set refers to one raw source water sample at LT2001 and one finished water sample at EP001. A week is defined as Sunday through Saturday.

\*Weekly sampling unless requirements for reduced monitoring are met. Current reduced monitoring schedules can be found at http://epa.ohio.gov/ddagw/HAB.aspx. Reduced monitoring is contingent on a public water system continuing to experience NO raw or finished water total microcystins detections. Any total microcystins detections during routine (weekly) or reduced sampling will trigger additional sampling. Please refer to the website above for specifics on follow-up sampling requirements.



OH7200311 FREMONT CITY

System Type: Community Operating Period: 1/1 to 12/31

## ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257901 Facility Name: FREMONT CITY

Location SMP ID: LT2001 Facility Source: Surface Water Facility Class: CLASS 4

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

Chemicals	Monitoring Requirements
CYANOBACTERIA SCREENING	1 Sample(s) Required between 12/31/2017 and 1/6/2018
	1 Sample(s) Required between 1/14/2018 and 1/20/2018
	1 Sample(s) Required between 1/28/2018 and 2/3/2018
	1 Sample(s) Required between 2/11/2018 and 2/17/2018
	1 Sample(s) Required between 2/25/2018 and 3/3/2018
	1 Sample(s) Required between 3/11/2018 and 3/17/2018
	1 Sample(s) Required between 3/25/2018 and 3/31/2018
	1 Sample(s) Required between 4/8/2018 and 4/14/2018
	1 Sample(s) Required between 4/22/2018 and 4/28/2018
	1 Sample(s) Required between 5/6/2018 and 5/12/2018
	1 Sample(s) Required between 5/20/2018 and 5/26/2018
	1 Sample(s) Required between 6/3/2018 and 6/9/2018
	1 Sample(s) Required between 6/17/2018 and 6/23/2018
	1 Sample(s) Required between 7/1/2018 and 7/7/2018
	1 Sample(s) Required between 7/15/2018 and 7/21/2018
	1 Sample(s) Required between 7/29/2018 and 8/4/2018
	1 Sample(s) Required between 8/12/2018 and 8/18/2018
	1 Sample(s) Required between 8/26/2018 and 9/1/2018
	1 Sample(s) Required between 9/9/2018 and 9/15/2018
	1 Sample(s) Required between 9/23/2018 and 9/29/2018
	1 Sample(s) Required between 10/7/2018 and 10/13/2018
	1 Sample(s) Required between 10/21/2018 and 10/27/2018
	1 Sample(s) Required between 11/4/2018 and 11/10/2018
	1 Sample(s) Required between 11/18/2018 and 11/24/2018
	1 Sample(s) Required between 12/2/2018 and 12/8/2018
	1 Sample(s) Required between 12/16/2018 and 12/22/2018

Cyanobacteria screening sample is to be collected biweekly from raw source water at sample point LT2001 unless requirements for reduced monitoring are met. Current reduced monitoring schedules can be found at http://epa.ohio.gov/ddagw/HAB.aspx. As of 12/31/17, all public water systems are responsible for contracting with a lab certified to perform cyanobacteria screening (qPCR). Please review the website for further information pertaining to follow-up sampling requirements for cyanobacteria screening gene detections, and certified labs that can perform analysis.



## OH7200311 FREMONT CITY

System Type: Community Operating Period: 1/1 to 12/31

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

Sampling	Facility ID: DS1	Facility Name: FREMONT CITY DISTRIBUTION SYSTEM	Facility Class: CLASS 1
Location	SMP ID: DS000		
Chemicals		Monitoring Requirements	

Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	20 Sample(s) Required between	1/1/2018 and 1/31/2018
	20 Sample(s) Required between	2/1/2018 and 2/28/2018
	20 Sample(s) Required between	3/1/2018 and 3/31/2018
	20 Sample(s) Required between	4/1/2018 and 4/30/2018
	20 Sample(s) Required between	5/1/2018 and 5/31/2018
	20 Sample(s) Required between	6/1/2018 and 6/30/2018
	20 Sample(s) Required between	7/1/2018 and 7/31/2018
	20 Sample(s) Required between	8/1/2018 and 8/31/2018
	20 Sample(s) Required between	9/1/2018 and 9/30/2018
	20 Sample(s) Required between	10/1/2018 and 10/31/2018
	20 Sample(s) Required between	11/1/2018 and 11/30/2018
	20 Sample(s) Required between	12/1/2018 and 12/31/2018
TOTAL CHLORINE - 1000	20 Sample(s) Required between	1/1/2018 and 1/31/2018
	20 Sample(s) Required between	2/1/2018 and 2/28/2018
	20 Sample(s) Required between	3/1/2018 and 3/31/2018
	20 Sample(s) Required between	4/1/2018 and 4/30/2018
	20 Sample(s) Required between	5/1/2018 and 5/31/2018
	20 Sample(s) Required between	6/1/2018 and 6/30/2018
	20 Sample(s) Required between	7/1/2018 and 7/31/2018
	20 Sample(s) Required between	8/1/2018 and 8/31/2018
	20 Sample(s) Required between	9/1/2018 and 9/30/2018
	20 Sample(s) Required between	10/1/2018 and 10/31/2018
	20 Sample(s) Required between	11/1/2018 and 11/30/2018
	20 Sample(s) Required between	12/1/2018 and 12/31/2018

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling	Facility ID: DS1	Facility Name: FREMONT CITY DISTRIBUTION SYSTEM	Facility Class: CLASS 1
Location	SMP ID: <b>DS201</b>	700 CEDAR ST.	

Chemicals	Monitoring Requirements		
DISINFECTION BYPRODUCTS	Dual Sample Required between	1/1/2018 and	1/7/2018 at: DS201
	Dual Sample Required between	4/1/2018 and	4/7/2018 at: DS201
	Dual Sample Required between	7/1/2018 and	7/7/2018 at: DS201
	Dual Sample Required between	10/1/2018 and	10/7/2018 at: DS201

# Sample for all the analytes listed below:

<sup>1)</sup> TOTAL HALOACETIC ACIDS (HAA5) - 2456

<sup>2)</sup> TTHM - 2950



#### OH7200311 FREMONT CITY

Operating Period: 1/1 to 12/31 System Type: Community

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

#### For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

DISTRIBUTION MONITORING SCHEDULE					
Sampling Location	Facility ID: <b>DS1</b> SMP ID: <b>DS202</b>	Facility Name: FREMONT CITY DISTRIBUTION SY 2100 COUNTRYSIDE DR.	STEM	Fa	acility Class: CLASS 1
Chemicals		Monitoring Requirements			
DISINFECTIO	ON BYPRODUCTS	Dual Sample Required between	1/1/2018	and	1/7/2018 at: DS202
		Dual Sample Required between	4/1/2018	and	4/7/2018 at: DS202
		Dual Sample Required between	7/1/2018	and	7/7/2018 at: DS202
		Dual Sample Required between	10/1/2018	and	10/7/2018 at: DS202

#### Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) 2456
- 2) TTHM 2950

Sampling	Facility ID: <b>DS1</b>	Facility Name: FREMONT CITY DISTRIBUTION S	SYSTEM	Fa	acility Class: CLASS 1
Location	SMP ID: <b>DS203</b>	715 S. TAFT. AVE.			
Chemicals		Monitoring Requirements			
DISINFECTIO	ON BYPRODUCTS	Dual Sample Required betwee	n 1/1/2018	and	1/7/2018 at: DS203
		Dual Sample Required betwee	en 4/1/2018	and	4/7/2018 at: DS203
		Dual Sample Required between	en 7/1/2018	and	7/7/2018 at: DS203
		Dual Sample Required between	en 10/1/2018	and	10/7/2018 at: DS203
Sample for all the	analytes listed below:				
1) TOTAL HALO	ACETIC ACIDS (HAA5) - 2	456			

1)	TOTAL	HALO	ACETIC	ACIDS	(HAA5	) – 2456
•,	IOIAL	IIALUA	702110	70100	(117770	, 270

2) TTHM - 2950

Sampling	Facility ID: <b>DS1</b>	Facility Name: FREMONT CITY DISTRIBUTION SYSTEM	Facility Class: CLASS 1
Location	SMP ID: <b>DS204</b>	840 SEAN DR.	

Chemicals	Monitoring Requirements			_
DISINFECTION BYPRODUCTS	Dual Sample Required between	1/1/2018 and	1/7/2018 at: DS204	_
	Dual Sample Required between	4/1/2018 and	4/7/2018 at: DS204	
	Dual Sample Required between	7/1/2018 and	7/7/2018 at: DS204	
	Dual Sample Required between	10/1/2018 and	10/7/2018 at: DS204	

#### Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) 2456
- 2) TTHM 2950



#### OH7200311 FREMONT CITY

System Type: Community Operating Period: 1/1 to 12/31

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: FREMONT CITY DISTRIBUTION SYSTEM Facility Class: CLASS 1

Location SMP ID: LC### Refer to your Lead and Copper plan for SMP IDs

Chemicals Monitoring Requirements

LEAD - 1030 AND COPPER - 1022

30 Sample(s) Required between

6/1/2018 and 9/30/2018

Lead consumer notice must be completed no later than two business days after receipt of the sample results. The verification form for consumer notice must be submitted to Ohio EPA no later than five business days after receipt of the sample results. Lead and copper sample monitoring point (SMP) IDs (LC###) must be current and reflect properly tiered sites according to OAC Rule 3745-81-86. Submit lead and copper SMP ID revisions to your Ohio EPA District Office. Forms and templates are available online at http://epa.ohio.gov/ddagw/pws/leadandcopper.aspx. For questions contact your Ohio EPA District Office representative.



OH7200412 GIBSONBURG VILLAGE PWS

System Type: Community Operating Period: 1/1 to 12/31

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257902 Facility Name: GIBSONBURG VILLAGE

Location SMP ID: EP001 Facility Source: Ground Water Facility Class: CLASS 1

# THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule.

Also, monitoring schedules may be revised during the year based on sampling results.

## For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

Chemicals	Monitoring Requirements	
INORGANICS	Not Required	
NITRITE - 1041	Not Required	
NITRATE - 1040	1 Sample(s) Required between	6/1/2018 and 10/31/2018
RADIOLOGICALS	Not Required	
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1 <u>Sample for all the analytes listed below:</u> ALACHLOR (LASSO) - 2051 ATRAZINE - 2050 SIMAZINE - 2037	1 Sample(s) Required between	6/1/2018 and 10/31/2018
VOLATILE ORGANIC CHEMICALS (VOC)	<ol> <li>Sample(s) Required between</li> <li>Sample(s) Required between</li> <li>Sample(s) Required between</li> <li>Sample(s) Required between</li> </ol>	1/1/2018 and 3/31/2018 4/1/2018 and 6/30/2018 7/1/2018 and 9/30/2018 10/1/2018 and 12/31/2018



#### GIBSONBURG VILLAGE PWS OH7200412

Operating Period: 1/1 to 12/31 System Type: Community

Ground Water Rule Substantial System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: GIBSONBURG, VILLAGE OF DISTRIBUTION Facility Class: CLASS 1 Location SMP ID: DS000

Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	3 Sample(s) Required between	1/1/2018 and 1/31/2018
	3 Sample(s) Required between	2/1/2018 and 2/28/2018
	3 Sample(s) Required between	3/1/2018 and 3/31/2018
	3 Sample(s) Required between	4/1/2018 and 4/30/2018
	3 Sample(s) Required between	5/1/2018 and 5/31/2018
	3 Sample(s) Required between	6/1/2018 and 6/30/2018
	3 Sample(s) Required between	7/1/2018 and 7/31/2018
	3 Sample(s) Required between	8/1/2018 and 8/31/2018
	3 Sample(s) Required between	9/1/2018 and 9/30/2018
	3 Sample(s) Required between	10/1/2018 and 10/31/2018
	3 Sample(s) Required between	11/1/2018 and 11/30/2018
	3 Sample(s) Required between	12/1/2018 and 12/31/2018

Sampling	Facility ID: DS1	Facility Name: GIBSONBURG, VILLAGE OF DISTRIBUTION	Facility Class: CLASS 1
Location	SMP ID: <b>DS201</b>	ADDRESS NOT KNOWN	

Dual Sample Required between

Chemicals **Monitoring Requirements** 

DISINFECTION BYPRODUCTS Sample for all the analytes listed below:

1) TOTAL HALOACETIC ACIDS (HAA5) - 2456

2) TTHM - 2950

Sampling	Facility ID: <b>DS1</b>	Facility Name: GIBSONBURG, VILLAGE OF DISTRIBUTION	Facility Class: CLASS 1
Location	SMP ID: <b>DS202</b>	ADDRESS NOT KNOWN	

Chemicals **Monitoring Requirements** 

DISINFECTION BYPRODUCTS

Dual Sample Required between 7/1/2018 and 9/30/2018 at: DS202

7/1/2018 and 9/30/2018 at: DS201

Sample for all the analytes listed below:

1) TOTAL HALOACETIC ACIDS (HAA5) – 2456 2) TTHM - 2950



#### OH7200412 GIBSONBURG VILLAGE PWS

System Type: Community Operating Period: 1/1 to 12/31

Ground Water Rule Substantial System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: GIBSONBURG, VILLAGE OF DISTRIBUTION Facility Class: CLASS 1

Location SMP ID: LC### Refer to your Lead and Copper plan for SMP IDs

Chemicals Monitoring Requirements

LEAD - 1030 AND COPPER - 1022

10 Sample(s) Required between 6/1/2018 and 9/30/2018

Lead consumer notice must be completed no later than two business days after receipt of the sample results. The verification form for consumer notice must be submitted to Ohio EPA no later than five business days after receipt of the sample results. Lead and copper sample monitoring point (SMP) IDs (LC###) must be current and reflect properly tiered sites according to OAC Rule 3745-81-86. Submit lead and copper SMP ID revisions to your Ohio EPA District Office. Forms and templates are available online at http://epa.ohio.gov/ddagw/pws/leadandcopper.aspx. For questions contact your Ohio EPA District Office representative.



OH7200512 LINDSEY VILLAGE WATER

System Type: Community Operating Period: 1/1 to 12/31

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7261999 Facility Name: LINDSEY VILLAGE WATER STU 3

Location SMP ID: EP003 Facility Source: Ground Water Facility Class: CLASS 1

# THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule.

Also, monitoring schedules may be revised during the year based on sampling results.

## For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

Chemicals	Monitoring Requirements	
INORGANICS	Not Required	
NITRITE - 1041	Not Required	
NITRATE - 1040	1 Sample(s) Required between	6/1/2018 and 10/31/2018
RADIOLOGICALS	Not Required	
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1 <u>Sample for all the analytes listed below:</u> ALACHLOR (LASSO) - 2051 ATRAZINE - 2050 SIMAZINE - 2037	1 Sample(s) Required between	6/1/2018 and 10/31/2018
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required	



OH7200512 LINDSEY VILLAGE WATER

Operating Period: 1/1 to 12/31 System Type: Community

Ground Water Rule Substantial System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: LINDSEY, VILLAGE OF DISTRIBUTION Facility Class: CLASS 1

Location SMP ID: DS000

Chemicals	Monitoring Requirements	
ASBESTOS - 1094	Not Required	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 1/31/2018
	1 Sample(s) Required between	2/1/2018 and 2/28/2018
	1 Sample(s) Required between	3/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 4/30/2018
	1 Sample(s) Required between	5/1/2018 and 5/31/2018
	1 Sample(s) Required between	6/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 7/31/2018
	1 Sample(s) Required between	8/1/2018 and 8/31/2018
	1 Sample(s) Required between	9/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 10/31/2018
	1 Sample(s) Required between	11/1/2018 and 11/30/2018
	1 Sample(s) Required between	12/1/2018 and 12/31/2018
TOTAL CHLORINE - 1000	1 Sample(s) Required between	1/1/2018 and 1/31/2018
	1 Sample(s) Required between	2/1/2018 and 2/28/2018
	1 Sample(s) Required between	3/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 4/30/2018
	1 Sample(s) Required between	5/1/2018 and 5/31/2018
	1 Sample(s) Required between	6/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 7/31/2018
	1 Sample(s) Required between	8/1/2018 and 8/31/2018
	1 Sample(s) Required between	9/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 10/31/2018
	1 Sample(s) Required between	11/1/2018 and 11/30/2018
	1 Sample(s) Required between	12/1/2018 and 12/31/2018

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Facility ID: DS1 Facility Name: LINDSEY, VILLAGE OF DISTRIBUTION Facility Class: CLASS 1

SMP ID: **DS201 ADDRESS NOT KNOWN** Location

Chemicals **Monitoring Requirements** 

DISINFECTION BYPRODUCTS

Dual Sample Required between 7/1/2018 and 9/30/2018 at: DS201

Sample for all the analytes listed below:

<sup>1)</sup> TOTAL HALOACETIC ACIDS (HAA5) - 2456

<sup>2)</sup> TTHM - 2950



#### OH7200512 LINDSEY VILLAGE WATER

System Type: Community Operating Period: 1/1 to 12/31

Ground Water Rule Substantial System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: LINDSEY, VILLAGE OF DISTRIBUTION Facility Class: CLASS 1

Location SMP ID: LC### Refer to your Lead and Copper plan for SMP IDs

Chemicals Monitoring Requirements

LEAD - 1030 AND COPPER - 1022

5 Sample(s) Required between 6/1/2

6/1/2018 and 9/30/2018

Lead consumer notice must be completed no later than two business days after receipt of the sample results. The verification form for consumer notice must be submitted to Ohio EPA no later than five business days after receipt of the sample results. Lead and copper sample monitoring point (SMP) IDs (LC###) must be current and reflect properly tiered sites according to OAC Rule 3745-81-86. Submit lead and copper SMP ID revisions to your Ohio EPA District Office. Forms and templates are available online at http://epa.ohio.gov/ddagw/pws/leadandcopper.aspx. For questions contact your Ohio EPA District Office representative.



OH7200912 WOODVILLE VILLAGE

System Type: Community Operating Period: 1/1 to 12/31

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257905 Facility Name: WOODVILLE VILLAGE

Location SMP ID: EP001 Facility Source: Ground Water Facility Class: CLASS 2

# THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule.

Also, monitoring schedules may be revised during the year based on sampling results.

## For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

Chemicals	Monitoring Requirements	
DIOXIN - 2063	Not Required	
INORGANICS	Not Required	
NITRITE - 1041	Not Required	
NITRATE - 1040	1 Sample(s) Required between	6/1/2018 and 10/31/2018
RADIOLOGICALS	Not Required	
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1  Sample for all the analytes listed below:  ALACHLOR (LASSO) - 2051 ATRAZINE - 2050 SIMAZINE - 2037	1 Sample(s) Required between	6/1/2018 and 10/31/2018
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required	



OH7200912 WOODVILLE VILLAGE

System Type: Community Operating Period: 1/1 to 12/31

Ground Water Rule Substantial System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: WOODVILLE VILLAGE DISTRIBUTION SYSTEM Facility Class: CLASS 1 Location SMP ID: DS000

Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	2 Sample(s) Required between 1/1/2018 and 1/31/2018	
	2 Sample(s) Required between 2/1/2018 and 2/28/2018	
	2 Sample(s) Required between 3/1/2018 and 3/31/2018	
	2 Sample(s) Required between 4/1/2018 and 4/30/2018	
	2 Sample(s) Required between 5/1/2018 and 5/31/2018	
	2 Sample(s) Required between 6/1/2018 and 6/30/2018	
	2 Sample(s) Required between 7/1/2018 and 7/31/2018	
	2 Sample(s) Required between 8/1/2018 and 8/31/2018	
	2 Sample(s) Required between 9/1/2018 and 9/30/2018	
	2 Sample(s) Required between 10/1/2018 and 10/31/2018	
	2 Sample(s) Required between 11/1/2018 and 11/30/2018	
	2 Sample(s) Required between 12/1/2018 and 12/31/2018	
TOTAL CHLORINE - 1000	2 Sample(s) Required between 1/1/2018 and 1/31/2018	
	2 Sample(s) Required between 2/1/2018 and 2/28/2018	
	2 Sample(s) Required between 3/1/2018 and 3/31/2018	
	2 Sample(s) Required between 4/1/2018 and 4/30/2018	
	2 Sample(s) Required between 5/1/2018 and 5/31/2018	
	2 Sample(s) Required between 6/1/2018 and 6/30/2018	
	2 Sample(s) Required between 7/1/2018 and 7/31/2018	
	2 Sample(s) Required between 8/1/2018 and 8/31/2018	
	2 Sample(s) Required between 9/1/2018 and 9/30/2018	
	2 Sample(s) Required between 10/1/2018 and 10/31/2018	
	2 Sample(s) Required between 11/1/2018 and 11/30/2018	
	2 Sample(s) Required between 12/1/2018 and 12/31/2018	

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Facility ID: DS1 Facility Name: WOODVILLE VILLAGE DISTRIBUTION SYSTEM Facility Class: CLASS 1

Location SMP ID: DS201 501 VICTORIA PLACE

Chemicals Monitoring Requirements

DISINFECTION BYPRODUCTS

Dual Sample Required between 7/1/2018 and 9/30/2018 at: DS201

Sample for all the analytes listed below:

1) TOTAL HALOACETIC ACIDS (HAA5) - 2456

2) TTHM - 2950



#### OH7200912 WOODVILLE VILLAGE

System Type: Community Operating Period: 1/1 to 12/31

Ground Water Rule Substantial System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

## DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: WOODVILLE VILLAGE DISTRIBUTION SYSTEM Facility Class: CLASS 1

Location SMP ID: DS202 821 WATER ST

Chemicals Monitoring Requirements

DISINFECTION BYPRODUCTS

Dual Sample Required

Dual Sample Required between 7/1/2018 and 9/30/2018 at: DS202

Sample for all the analytes listed below:

1) TOTAL HALOACETIC ACIDS (HAA5) - 2456

2) TTHM - 2950

Sampling Facility ID: DS1 Facility Name: WOODVILLE VILLAGE DISTRIBUTION SYSTEM Facility Class: CLASS 1

Location SMP ID: LC### Refer to your Lead and Copper plan for SMP IDs

Chemicals Monitoring Requirements

LEAD - 1030 AND COPPER - 1022

10 Sample(s) Required between 6/1/2018 and 9/30/2018

Lead consumer notice must be completed no later than two business days after receipt of the sample results. The verification form for consumer notice must be submitted to Ohio EPA no later than five business days after receipt of the sample results. Lead and copper sample monitoring point (SMP) IDs (LC###) must be current and reflect properly tiered sites according to OAC Rule 3745-81-86. Submit lead and copper SMP ID revisions to your Ohio EPA District Office. Forms and templates are available online at http://epa.ohio.gov/ddagw/pws/leadandcopper.aspx. For questions contact your Ohio EPA District Office representative.



OH7201012 SHOREWOOD VILLAGE SUBDIVISION

System Type: Community Operating Period: 1/1 to 12/31

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257906 Facility Name: SHOREWOOD VILLAGE SUBD

Location SMP ID: EP001 Facility Source: Ground Water Facility Class: CLASS 1

# THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

## For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

Chemicals	Monitoring Requirements	
INORGANICS	Not Required	
NITRITE - 1041	Not Required	
NITRATE - 1040	1 Sample(s) Required between	6/1/2018 and 10/31/2018
RADIOLOGICALS	Not Required	
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1  Sample for all the analytes listed below:  ALACHLOR (LASSO) - 2051 ATRAZINE - 2050 SIMAZINE - 2037	1 Sample(s) Required between	6/1/2018 and 10/31/2018
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required	



#### OH7201012 SHOREWOOD VILLAGE SUBDIVISION

System Type: Community Operating Period: 1/1 to 12/31

Ground Water Rule Substantial System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: SHOREWOOD VILLAGE SUBD DISTRIBUTION Facility Class: CLASS 1 Location SMP ID: DS000

Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 1/31/2018
	1 Sample(s) Required between	2/1/2018 and 2/28/2018
	1 Sample(s) Required between	3/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 4/30/2018
	1 Sample(s) Required between	5/1/2018 and 5/31/2018
	1 Sample(s) Required between	6/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 7/31/2018
	1 Sample(s) Required between	8/1/2018 and 8/31/2018
	1 Sample(s) Required between	9/1/2018 and 9/30/2018
	1 Sample(s) Required between 1	0/1/2018 and 10/31/2018
	1 Sample(s) Required between 1	1/1/2018 and 11/30/2018
	1 Sample(s) Required between 1	2/1/2018 and 12/31/2018
TOTAL CHLORINE - 1000	1 Sample(s) Required between	1/1/2018 and 1/31/2018
	* \ ' *	2/1/2018 and 2/28/2018
		3/1/2018 and 3/31/2018
	* ` ' *	4/1/2018 and 4/30/2018
	1 Sample(s) Required between	5/1/2018 and 5/31/2018
	1 Sample(s) Required between	6/1/2018 and 6/30/2018
		7/1/2018 and 7/31/2018
	* ` ' *	8/1/2018 and 8/31/2018
		9/1/2018 and 9/30/2018
		0/1/2018 and 10/31/2018
		1/1/2018 and 11/30/2018
	1 1	2/1/2018 and 12/31/2018

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Facility ID: DS1 Facility Name: SHOREWOOD VILLAGE SUBD DISTRIBUTION Facility Class: CLASS 1

Location SMP ID: DS201 ADDRESS NOT KNOWN

Chemicals Monitoring Requirements

DISINFECTION BYPRODUCTS

Dual Sample Required between 7/1/2018 and 9/30/2018 at: DS201

Sample for all the analytes listed below:

1) TOTAL HALOACETIC ACIDS (HAA5) - 2456

2) TTHM - 2950



## OH7201012 SHOREWOOD VILLAGE SUBDIVISION

System Type: Community Operating Period: 1/1 to 12/31

Ground Water Rule Substantial System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

\*\* REMINDER: \*\* Consumer Confidence Report (CCR) is due July 1, 2018

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: SHOREWOOD VILLAGE SUBD DISTRIBUTION Facility Class: CLASS 1
Location SMP ID: LC### Refer to your Lead and Copper plan for SMP IDs

Chemicals Monitoring Requirements

LEAD - 1030 AND COPPER - 1022

Not Required



#### OH7230112 SIX ACRES ESTATES AMLC

System Type: Transient Noncommunity

Operating Period: 7/1 to 9/30

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

## DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: SIX ACRES ESTATES AMLC DISTRIBUTION


Location SMP ID: SUP01 Facility Source: Ground Water

Chemicals Monitoring Requirements

TOTAL COLIFORM - SEASONAL STARTUP

At least 1 negative Total Coliform Bacteria sample prior to serving water to the public

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.

<sup>\*\*\*</sup> Seasonal start-up sample does not count for routine compliance requirements. Collect at least one special purpose (SP) sample for total coliform (TC) analysis at the service connection considered to be most susceptible to contamination. The sample must be TC negative before the system may serve water to the public. If the sample is positive, contact your Ohio EPA District Representative for additional requirements. If your start date is different from last year, please contact your Ohio EPA District Representative.\*\*\*



#### OH7230112 SIX ACRES ESTATES AMLC

System Type: Transient Noncommunity Operating Period: 7/1 to 9/30

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: SIX ACRES ESTATES AMLC DISTRIBUTION

Location SMP ID: DS000 Facility Source: Ground Water


Chemicals Monitoring Requirements

TOTAL COLIFORM (TCR) - 3100

1 Sample(s) Required between 7/1/

7/1/2018 and 9/30/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### OH7230112 SIX ACRES ESTATES AMLC

System Type: Transient Noncommunity Operating Period: 7/1 to 9/30

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257912 Facility Name: SIX ACRES ESTATES AMLC


**Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### OH7232212 KNIPP FARMS INC AMLC

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System


# THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE			
Sampling Facility ID: DS1 Location SMP ID: DS000	Facility Name: KNIPP FARMS, INC. AMLO Facility Source: Ground Water	C DISTRIBUTION	
Chemicals	Monitoring Requirements		
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/	71/2018 and 1/31/2018	
	1 Sample(s) Required between 2/	/1/2018 and 2/28/2018	
	1 Sample(s) Required between 3/	71/2018 and 3/31/2018	
	1 Sample(s) Required between 4/	1/2018 and 4/30/2018	
	1 Sample(s) Required between 5/	71/2018 and 5/31/2018	
	1 Sample(s) Required between 6/	1/2018 and 6/30/2018	
	1 Sample(s) Required between 7/	71/2018 and 7/31/2018	
	1 Sample(s) Required between 8/	1/2018 and 8/31/2018	
	1 Sample(s) Required between 9/	71/2018 and 9/30/2018	
	1 Sample(s) Required between 10/	71/2018 and 10/31/2018	
	1 Sample(s) Required between 11/	71/2018 and 11/30/2018	
	1 Sample(s) Required between 12/	1/2018 and 12/31/2018	

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### OH7232212 KNIPP FARMS INC AMLC

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

## ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257922 Facility Name: KNIPP FARMS INC AMLC


**Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### OH7232812 GILLMOR AMLC #1

System Type: Transient Noncommunity Operating Period: 4/1 to 11/30

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

## DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: GILLMOR AMLC DISTRIBUTION


**Location** SMP ID: **SUP01** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

TOTAL COLIFORM - SEASONAL STARTUP

At least 1 negative Total Coliform Bacteria sample prior to serving water to the public

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.

<sup>\*\*\*</sup> Seasonal start-up sample does not count for routine compliance requirements. Collect at least one special purpose (SP) sample for total coliform (TC) analysis at the service connection considered to be most susceptible to contamination. The sample must be TC negative before the system may serve water to the public. If the sample is positive, contact your Ohio EPA District Representative for additional requirements. If your start date is different from last year, please contact your Ohio EPA District Representative.\*\*\*



#### OH7232812 GILLMOR AMLC #1

System Type: Transient Noncommunity Operating Period: 4/1 to 11/30

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: GILLMOR AMLC DISTRIBUTION	
Location SMP ID: DS000	Facility Source: Ground Water	

Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	5/1/2018 and 5/31/2018
	1 Sample(s) Required between	6/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 7/31/2018
	1 Sample(s) Required between	8/1/2018 and 8/31/2018
	1 Sample(s) Required between	9/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 10/31/2018
	1 Sample(s) Required between	11/1/2018 and 11/15/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### OH7232812 GILLMOR AMLC #1

System Type: Transient Noncommunity Operating Period: 4/1 to 11/30

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

## ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257925 Facility Name: GILLMOR AMLC


**Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



## OH7235112 HIDDEN HILLS GOLF CLUB, LLC

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: HIDDEN HILLS GOLF CLUB, DISTRIBUTION

Location SMP ID: DS000	Facility Source: Ground Water	
Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 12/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7235112 HIDDEN HILLS GOLF CLUB, LLC

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257933 Facility Name: HIDDEN HILLS GOLF CLUB, LLC


**Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### OH7237012 LISKAI FARMS AMLC

Operating Period: 1/1 to 12/31 System Type: Transient Noncommunity

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

	Sampling	Facility ID: <b>DS1</b>	Facility Name:	LISKAI FARMS AMLC DISTRIBUTION
--	----------	-------------------------	----------------	--------------------------------

Location SMP ID: DS000	Facility Source: Ground Water	
Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 12/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7237012 LISKAI FARMS AMLC

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257943 Facility Name: LISKAI FARMS AMLC


**Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 7/1/2018 and 9/30/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



OH7237112 LUTZ ELEMENTARY SCHOOL

System Type: Nontransient Noncommunity Operating Period: 1/1 to 12/31

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257944 Facility Name: LUTZ ELEMENTARY SCHOOL

Location SMP ID: EP001 Facility Source: Ground Water Facility Class: CLASS 1

# THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements	
INORGANICS	Not Required	
NITRITE - 1041	Not Required	
NITRATE - 1040	1 Sample(s) Required between	6/1/2018 and 10/31/2018
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1  Sample for all the analytes listed below:  ALACHLOR (LASSO) - 2051 ATRAZINE - 2050 SIMAZINE - 2037	1 Sample(s) Required between	6/1/2018 and 10/31/2018
VOLATILE ORGANIC CHEMICALS (VOC)	1 Sample(s) Required between	4/1/2018 and 6/30/2018



### OH7237112 LUTZ ELEMENTARY SCHOOL

System Type: Nontransient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Substantial System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: LUTZ ELEMENTARY SCHOOL DISTRIBUTION Facility Class: CLASS 1

Location SMP ID: DS000

Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 12/31/2018
TOTAL CHLORINE - 1000	1 Sample(s) Required between	1/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 12/31/2018

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling	Facility ID: <b>DS1</b>	Facility Name: LUTZ ELEMENTARY SCHOOL DISTRIBUTION	Facility Class: CLASS 1
Location	SMP ID: DS201	ADDRESS NOT KNOWN	

Chemicals Monitoring Requirements

DISINFECTION BYPRODUCTS

Dual Sample Required between 7/1/2018 and 9/30/2018 at: DS201

Sample for all the analytes listed below:

1) TOTAL HALOACETIC ACIDS (HAA5) - 2456

2) TTHM - 2950

Sampling	Facility ID: <b>DS1</b>	Facility Name: LUTZ ELEMENTARY SCHOOL DISTRIBUTION	Facility Class: CLASS 1
Location	SMP ID: LC###	Refer to your Lead and Copper plan for SMP IDs	

 Chemicals
 Monitoring Requirements

 LEAD - 1030 AND COPPER - 1022
 5 Sample(s) Required between 6/1/2018 and 9/30/2018

Lead consumer notice must be completed no later than two business days after receipt of the sample results. The verification form for consumer notice must be submitted to Ohio EPA no later than five business days after receipt of the sample results. Lead and copper sample monitoring point (SMP) IDs (LC###) must be current and reflect properly tiered sites according to OAC Rule 3745-81-86. Submit lead and copper SMP ID revisions to your Ohio EPA District Office. Forms and templates are available online at http://epa.ohio.gov/ddagw/pws/leadandcopper.aspx. For questions contact your Ohio EPA District Office representative.



Chemicals

**Effective Date: 01/01/2018** 

# OH7237412 MARTIN MARIETTA-WOODVILLE

System Type: Nontransient Noncommunity Operating Period: 1/1 to 12/31

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257945 Facility Name: MARTIN MARIETTA WELL N11

Location SMP ID: EP001 Facility Source: Ground Water Facility Class: CLASS A

# THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

**Monitoring Requirements** 

DIOXIN - 2063	Not Required	
INORGANICS	Not Required	
NITRITE - 1041	Not Required	
NITRATE - 1040	1 Sample(s) Required between	6/1/2018 and 10/31/2018
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1 <u>Sample for all the analytes listed below:</u> ALACHLOR (LASSO) - 2051 ATRAZINE - 2050 SIMAZINE - 2037	1 Sample(s) Required between	6/1/2018 and 10/31/2018
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required	



**Effective Date: 05/25/2018** 

# OH7237412 MARTIN MARIETTA-WOODVILLE

System Type: Nontransient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE			
Sampling Location	Facility ID: <b>DS1</b> SMP ID: <b>DS000</b>	Facility Name: MARTIN MARIETTA WELL N11 DISTRIBUTION	
Chemicals		Monitoring Requirements	
1 Sample(s) Required between 4/1/2018 and		8 and 6/30/2018 8 and 9/30/2018	
Sampling Location	Facility ID: <b>DS1</b> SMP ID: <b>LC###</b>	Facility Name: MARTIN MARIETTA WELL N11 DISTRIBUTION Refer to your Lead and Copper plan for SMP IDs	
Chemicals		Monitoring Requirements	
LEAD - 1030	LEAD - 1030 AND COPPER - 1022 5 Sample(s) Required between 6/1/2018 and 9/30/2018		8 and 9/30/2018

Lead consumer notice must be completed no later than two business days after receipt of the sample results. The verification form for consumer notice must be submitted to Ohio EPA no later than five business days after receipt of the sample results. Lead and copper sample monitoring point (SMP) IDs (LC###) must be current and reflect properly tiered sites according to OAC Rule 3745-81-86. Submit lead and copper SMP ID revisions to your Ohio EPA District Office. Forms and templates are available online at http://epa.ohio.gov/ddagw/pws/leadandcopper.aspx. For questions contact your Ohio EPA District Office representative.



### OH7238212 CAMP FIRE SANDUSKY COUNTY

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378


### DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: CAMP FIRE USA BUCKEYE COUNCIL DISTRIBUTI

Location SMP ID: DS000 Facility Source: Ground Water

Location SMP ID: DS000	Facility Source: Ground water		
Chemicals	Monitoring Requirements		
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 3/31/2018	
	1 Sample(s) Required between	4/1/2018 and 6/30/2018	
	1 Sample(s) Required between	7/1/2018 and 9/30/2018	
	1 Sample(s) Required between	10/1/2018 and 12/31/2018	

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7238212 CAMP FIRE SANDUSKY COUNTY

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257946 Facility Name: CAMP FIRE USA BUCKEYE COUNCIL


Location SMP ID: EP001 Facility Source: Ground Water

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### OH7238312 MT CARMEL METHODIST CHURCH

Operating Period: 1/1 to 12/31 System Type: Transient Noncommunity

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: MT CARMEL METHODIST CH. DISTRIBUTION

Location SMP ID: DS000	Facility Source: Ground Water	
Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 12/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7238312 MT CARMEL METHODIST CHURCH

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257947 Facility Name: MT CARMEL METHODIST CHURCH


Location SMP ID: EP001 Facility Source: Ground Water

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### OH7239012 **OLE ZIMS WAGON SHED**

Operating Period: 1/1 to 12/31 System Type: Transient Noncommunity

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: **OLE ZIMS WAGON SHED DISTRIBUTION** 

Location SMP ID: DS000	Facility Source: Ground Water	
Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 12/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7239012 OLE ZIMS WAGON SHED

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257950 Facility Name: OLE ZIMS WAGON SHED


**Location** SMP ID: **EP001** Facility Source: **Ground Water** Facility Class: **CLASS A** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### OH7240212 **DAYS INN**

Operating Period: 1/1 to 12/31 System Type: Transient Noncommunity

Ground Water Rule Substantial System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Facility Name: **DAYS INN DISTRIBUTION** Sampling Facility ID: DS1

Location SMP ID: DS000	Facility Source: Ground Water	
Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 12/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### OH7240212 DAYS INN

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Substantial System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE


**Sampling** Facility ID: **7257955** Facility Name: **DAYS INN Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### ROLLERSVILLE TAVERN OH7241212

Operating Period: 1/1 to 12/31 System Type: Transient Noncommunity

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sam	pling	Facility ID:	DS1	Facility Name:	ROLLERSVILLE TAY	VERN DISTRIBUTION

Location SMP ID: DS000	Facility Source: Ground Water	
Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 12/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7241212 ROLLERSVILLE TAVERN

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257957 Facility Name: ROLLERSVILLE TAVERN


**Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### MILLERSVILLE ST MARYS CHURCH OH7241612

Operating Period: 1/1 to 12/31 System Type: Transient Noncommunity

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: MILLERSVILLE ST MARYS CHURCH D	Sampling F	Facility ID: <b>DS1</b>	Facility Name:	MILLERSVILLE ST MARYS CHURCH DIS
---	------------	-------------------------	----------------	----------------------------------

Location SMP ID: DS000	Facility Source: Ground Water	
Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 12/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7241612 MILLERSVILLE ST MARYS CHURCH

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257959 Facility Name: MILLERSVILLE SAINT MARYS CHURCH


**Location** SMP ID: **EP001** Facility Source: **Ground Water** Facility Class: **CLASS A** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



# OH7243212 TOLEDO EDISON - LINDSEY SERVICE CENTER

System Type: Nontransient Noncommunity Operating Period: 1/1 to 12/31

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257965 Facility Name: TOLEDO EDISON CO LINDSEY

Location SMP ID: EP001 Facility Source: Ground Water Facility Class: CLASS A

# THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule.

Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements		
INORGANICS	Not Required		
NITRITE - 1041	Not Required		
NITRATE - 1040	1 Sample(s) Required between	6/1/2018 and 10/31/2018	
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1  Sample for all the analytes listed below:  ALACHLOR (LASSO) - 2051 ATRAZINE - 2050 SIMAZINE - 2037	1 Sample(s) Required between	6/1/2018 and 10/31/2018	
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required		



# OH7243212 TOLEDO EDISON - LINDSEY SERVICE CENTER

System Type: Nontransient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: TOLEDO EDISON COMPANY DISTRIBUTION

Location SMP ID: DS000

Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2018 and 3/31/2018	
	1 Sample(s) Required between 4/1/2018 and 6/30/2018	
	1 Sample(s) Required between 7/1/2018 and 9/30/2018	
	1 Sample(s) Required between 10/1/2018 and 12/31/2018	



### OH7244912 WOODED ACRES CAMPGROUND

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: WOODED ACRES CAMPGROUND DISTRIBUTION


**Location** SMP ID: **SUP01** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

TOTAL COLIFORM - SEASONAL STARTUP

At least 1 negative Total Coliform Bacteria sample prior to serving water to the public

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.

<sup>\*\*\*</sup> Seasonal start-up sample does not count for routine compliance requirements. Collect at least one special purpose (SP) sample for total coliform (TC) analysis at the service connection considered to be most susceptible to contamination. The sample must be TC negative before the system may serve water to the public. If the sample is positive, contact your Ohio EPA District Representative for additional requirements. If your start date is different from last year, please contact your Ohio EPA District Representative.\*\*\*



#### OH7244912 WOODED ACRES CAMPGROUND

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: WOODED ACRES CAMPGROUND DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water

Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 1/31/2018
	1 Sample(s) Required between	2/1/2018 and 2/28/2018
	1 Sample(s) Required between	3/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 4/30/2018
	1 Sample(s) Required between	5/1/2018 and 5/31/2018
	1 Sample(s) Required between	6/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 7/31/2018
	1 Sample(s) Required between	8/1/2018 and 8/31/2018
	1 Sample(s) Required between	9/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 10/31/2018
	1 Sample(s) Required between	11/1/2018 and 11/30/2018
	1 Sample(s) Required between	12/1/2018 and 12/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7244912 WOODED ACRES CAMPGROUND

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257973 Facility Name: WOODED ACRES CAMPGROUND


**Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7245312 LAZY RIVER CAMPGROUND

System Type: Transient Noncommunity Operating Period: 5/1 to 11/30

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: LAZY RIVER CAMPGROUND DISTRIBUTION

Location SMP ID: SUP01 Facility Source: Ground Water


Chemicals Monitoring Requirements

TOTAL COLIFORM - SEASONAL STARTUP

At least 1 negative Total Coliform Bacteria sample prior to serving water to the public

\*\*\* Seasonal start-up sample does not count for routine compliance requirements. Collect at least one special purpose (SP) sample for total coliform (TC) analysis at the service connection considered to be most susceptible to contamination. The sample must be TC negative before the system may serve water to the public. If the sample is positive, contact your Ohio EPA District Representative for additional requirements. If your start date is different from last year, please contact your Ohio EPA District Representative.\*\*\*

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7245312 LAZY RIVER CAMPGROUND

System Type: Transient Noncommunity Operating Period: 5/1 to 11/30

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378


# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name:	LAZY RIVER CAMPGROUND DISTRIBUTION
---------------------------	----------------	------------------------------------

**Location** SMP ID: **DS000** Facility Source: **Ground Water** 

Chemicals	Monitoring Requirements		
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	5/1/2018 and	6/30/2018
	1 Sample(s) Required between	7/1/2018 and	9/30/2018
	1 Sample(s) Required between	10/1/2018 and	11/4/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7245312 LAZY RIVER CAMPGROUND

System Type: Transient Noncommunity Operating Period: 5/1 to 11/30

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378


# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257976 Facility Name: LAZY RIVER CAMPGROUND

**Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Location Sivil 1D. E1 001	1 defility Bource. Ground Water	
Chemicals	Monitoring Requirements	
NITRITE - 1041	1 Sample(s) Required between	6/1/2018 and 10/31/2018
NITRATE - 1040	1 Sample(s) Required between	6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7246412 HUNGRY BEAR DINER

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System


#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

#### DISTRIBUTION MONITORING SCHEDULE Sampling Facility ID: DS1 Facility Name: **DISTRIBUTION** Location SMP ID: DS000 Facility Source: Ground Water Chemicals **Monitoring Requirements** TOTAL COLIFORM (TCR) - 3100 1 Sample(s) Required between 1/1/2018 and 3/31/2018 1 Sample(s) Required between 4/1/2018 and 6/30/2018 1 Sample(s) Required between 7/1/2018 and 9/30/2018 1 Sample(s) Required between 10/1/2018 and 12/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7246412 HUNGRY BEAR DINER

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257981 Facility Name: HUNGRY BEAR DINER


**Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### OH7247612 FREMONT YACHT CLUB

Operating Period: 1/1 to 12/31 System Type: Transient Noncommunity

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: FREMONT YACHT CLUB DISTRIBUTIO	Sampling Faci	cility ID: <b>DS1</b>	Facility Name:	FREMONT YACHT CLUB DISTRIBUTION
---	---------------	-----------------------	----------------	---------------------------------

Location SMP ID: DS000	Facility Source: Ground Water	
Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 12/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7247612 FREMONT YACHT CLUB

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257984 Facility Name: FREMONT YACHT CLUB


**Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7247712 RIVERFRONT CAMPGROUND 1 PWS

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: RIVERFRONT CAMPGROUND 1 DISTRIBUTION


**Location** SMP ID: **SUP01** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

TOTAL COLIFORM - SEASONAL STARTUP

At least 1 negative Total Coliform Bacteria sample prior to serving water to the public

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.

<sup>\*\*\*</sup> Seasonal start-up sample does not count for routine compliance requirements. Collect at least one special purpose (SP) sample for total coliform (TC) analysis at the service connection considered to be most susceptible to contamination. The sample must be TC negative before the system may serve water to the public. If the sample is positive, contact your Ohio EPA District Representative for additional requirements. If your start date is different from last year, please contact your Ohio EPA District Representative.\*\*\*



### OH7247712 RIVERFRONT CAMPGROUND 1 PWS

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: RIVERFRONT CAMPGROUND 1 DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water

Chemicals	Monitoring Requirements		
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and	3/31/2018
	1 Sample(s) Required between	4/14/2018 and	4/30/2018
	1 Sample(s) Required between	5/1/2018 and	5/31/2018
	1 Sample(s) Required between	6/1/2018 and	6/30/2018
	1 Sample(s) Required between	7/1/2018 and	7/31/2018
	1 Sample(s) Required between	8/1/2018 and	8/31/2018
	1 Sample(s) Required between	9/1/2018 and	9/30/2018
	1 Sample(s) Required between	10/1/2018 and	10/14/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7247712 RIVERFRONT CAMPGROUND 1 PWS

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257985 Facility Name: RIVERFRONT CAMPGROUND NO 1


**Location** SMP ID: **EP001** Facility Source: **Ground Water** Facility Class: **CLASS A** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7247912 RIVERFRONT COTTAGES

System Type: Transient Noncommunity Operating Period: 4/1 to 10/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: RIVERFRONT COTTAGES DISTRIBUTION


**Location** SMP ID: **SUP01** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

TOTAL COLIFORM - SEASONAL STARTUP

At least 1 negative Total Coliform Bacteria sample prior to serving water to the public

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.

<sup>\*\*\*</sup> Seasonal start-up sample does not count for routine compliance requirements. Collect at least one special purpose (SP) sample for total coliform (TC) analysis at the service connection considered to be most susceptible to contamination. The sample must be TC negative before the system may serve water to the public. If the sample is positive, contact your Ohio EPA District Representative for additional requirements. If your start date is different from last year, please contact your Ohio EPA District Representative.\*\*\*



### OH7247912 RIVERFRONT COTTAGES

System Type: Transient Noncommunity Operating Period: 4/1 to 10/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: RIVERFRONT COTTAGES DISTRIBUTION	
Location SMP ID: DS000	Facility Source: Ground Water	

Chemicals	Monitoring Requirements		
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	4/14/2018 and	4/30/2018
	1 Sample(s) Required between	5/1/2018 and	5/31/2018
	1 Sample(s) Required between	6/1/2018 and	6/30/2018
	1 Sample(s) Required between	7/1/2018 and	7/31/2018
	1 Sample(s) Required between	8/1/2018 and	8/31/2018
	1 Sample(s) Required between	9/1/2018 and	9/30/2018
	1 Sample(s) Required between	10/1/2018 and	10/14/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



## OH7247912 RIVERFRONT COTTAGES

System Type: Transient Noncommunity Operating Period: 4/1 to 10/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257986 Facility Name: RIVERFRONT COTTAGES


**Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### OH7248212 **DELUX INN MOTEL**

Operating Period: 1/1 to 12/31 System Type: Transient Noncommunity

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Facility Name: **DELUX INN MOTEL DISTRIBUTION** Sampling Facility ID: DS1

Location SMP ID: DS000	Facility Source: Ground Water	
Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 12/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



## OH7248212 DELUX INN MOTEL

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257988 Facility Name: DELUX INN MOTEL


**Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



## **OH7248412** THE CHURCH ON 53

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System


## THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE			
Sampling Facility ID: DS1 Location SMP ID: DS000	Facility Name: THE CHURCH ON 53 DISTRIBUTION Facility Source: Ground Water		
Chemicals	Monitoring Requirements		
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2	018 and 1/31/2018	
	1 Sample(s) Required between 2/1/2	018 and 2/28/2018	
	1 Sample(s) Required between 3/1/2	018 and 3/31/2018	
	1 Sample(s) Required between 4/1/2	018 and 4/30/2018	
	1 Sample(s) Required between 5/1/2	018 and 5/31/2018	
	1 Sample(s) Required between 6/1/2	018 and 6/30/2018	
	1 Sample(s) Required between 7/1/2	018 and 7/31/2018	
	1 Sample(s) Required between 8/1/2	018 and 8/31/2018	
	1 Sample(s) Required between 9/1/2	018 and 9/30/2018	
	1 Sample(s) Required between 10/1/2	018 and 10/31/2018	
	1 Sample(s) Required between 11/1/2	018 and 11/30/2018	
	1 Sample(s) Required between 12/1/2	018 and 12/31/2018	

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



## **OH7248412** THE CHURCH ON 53

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7257990 Facility Name: THE CHURCH ON 53


**Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.

10/1/2018 and 12/31/2018



**Effective Date: 07/13/2018** 

#### OH7248512 CASA FIESTA

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.


Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# Sampling Facility ID: DS1 Facility Name: CASA FIESTA DISTRIBUTION Location SMP ID: DS000 Facility Source: Ground Water Chemicals Monitoring Requirements TOTAL COLIFORM (TCR) - 3100 1 Sample(s) Required between 1/1/2018 and 3/31/2018 1 Sample(s) Required between 4/1/2018 and 6/30/2018 1 Sample(s) Required between 7/1/2018 and 9/30/2018

1 Sample(s) Required between

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



## OH7248512 CASA FIESTA

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.


Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Chemicals	Monitoring Requirements	
NITRITE - 1041	1 Sample(s) Required between	6/1/2018 and 10/31/2018
NITRATE - 1040	1 Sample(s) Required between	6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



# OH7249412 BENCH FARMS RIFE AMLC

System Type: Transient Noncommunity Operating Period: 6/1 to 9/30

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: BENCH FARMS AMLC DISTRIBUTION

**Location** SMP ID: **SUP01** Facility Source: **Ground Water** 


Chemicals Monitoring Requirements

TOTAL COLIFORM - SEASONAL STARTUP

At least 1 negative Total Coliform
Bacteria sample prior to serving

water to the public

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.

<sup>\*\*\*</sup> Seasonal start-up sample does not count for routine compliance requirements. Collect at least one special purpose (SP) sample for total coliform (TC) analysis at the service connection considered to be most susceptible to contamination. The sample must be TC negative before the system may serve water to the public. If the sample is positive, contact your Ohio EPA District Representative for additional requirements. If your start date is different from last year, please contact your Ohio EPA District Representative.\*\*\*

9/1/2018 and 9/30/2018



**Effective Date: 01/01/2018** 

## OH7249412 BENCH FARMS RIFE AMLC

System Type: Transient Noncommunity Operating Period: 6/1 to 9/30

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

## DISTRIBUTION MONITORING SCHEDULE


Sampling Facility ID: DS1	Facility Name: BENCH FARMS AMLC DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water

 Chemicals
 Monitoring Requirements

 TOTAL COLIFORM (TCR) - 3100
 1 Sample(s) Required between 1 Sample(s) Required between 2 Sample(s) Required between 3 Samp

1 Sample(s) Required between

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



## OH7249412 BENCH FARMS RIFE AMLC

System Type: Transient Noncommunity Operating Period: 6/1 to 9/30

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.


Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Location SMP ID: EP001	Facility Source: Ground Water
Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2018 and 10/31/2018
RADIOLOGICALS	1 Sample(s) Required between 4/1/2018 and 6/30/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



# OH7251712 CAPITOL ALUMINUM AND GLASS

System Type: Nontransient Noncommunity Operating Period: 1/1 to 12/31

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7258006 Facility Name: CAPITOL ALUMINUM & GLASS CORP

Location SMP ID: EP001 Facility Source: Ground Water Facility Class: CLASS A

# THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule.

Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements	
INORGANICS	Not Required	
NITRITE - 1041	Not Required	
NITRATE - 1040	1 Sample(s) Required between	6/1/2018 and 10/31/2018
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1  Sample for all the analytes listed below:  ALACHLOR (LASSO) - 2051 ATRAZINE - 2050 SIMAZINE - 2037	1 Sample(s) Required between	6/1/2018 and 10/31/2018
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required	



**Effective Date: 05/25/2018** 

## OH7251712 CAPITOL ALUMINUM AND GLASS

System Type: Nontransient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Substantial System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: CAPITOL ALUMINUM & GLASS DISTRIBUTION
Location SMP ID: DS000

Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	2 Sample(s) Required between	1/1/2018 and 3/31/2018
	2 Sample(s) Required between	4/1/2018 and 6/30/2018
	2 Sample(s) Required between	7/1/2018 and 9/30/2018
	2 Sample(s) Required between	10/1/2018 and 12/31/2018
TOTAL CHLORINE - 1000	2 Sample(s) Required between	1/1/2018 and 3/31/2018
	2 Sample(s) Required between	4/1/2018 and 6/30/2018
	2 Sample(s) Required between	7/1/2018 and 9/30/2018
	2 Sample(s) Required between	10/1/2018 and 12/31/2018

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling	Facility ID: DS1	Facility Name: CAPITOL ALUMINUM & GLASS DISTRIBUTION
Location	SMP ID: LC###	Refer to your Lead and Copper plan for SMP IDs

Chemicals	Monitoring Requirements	
LEAD - 1030 AND COPPER - 1022	5 Sample(s) Required between	6/1/2018 and 9/30/2018

Lead consumer notice must be completed no later than two business days after receipt of the sample results. The verification form for consumer notice must be submitted to Ohio EPA no later than five business days after receipt of the sample results. Lead and copper sample monitoring point (SMP) IDs (LC###) must be current and reflect properly tiered sites according to OAC Rule 3745-81-86. Submit lead and copper SMP ID revisions to your Ohio EPA District Office. Forms and templates are available online at http://epa.ohio.gov/ddagw/pws/leadandcopper.aspx. For questions contact your Ohio EPA District Office representative.



OH7251912 CARBO FORGE

System Type: Nontransient Noncommunity Operating Period: 1/1 to 12/31

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7258007 Facility Name: CARBO FORGE INC

Location SMP ID: EP001 Facility Source: Ground Water Facility Class: CLASS A

# THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements	
INORGANICS	Not Required	
NITRITE - 1041	Not Required	
NITRATE - 1040	1 Sample(s) Required between	6/1/2018 and 10/31/2018
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1  Sample for all the analytes listed below:  ALACHLOR (LASSO) - 2051 ATRAZINE - 2050 SIMAZINE - 2037	1 Sample(s) Required between	6/1/2018 and 10/31/2018
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required	



## OH7251912 CARBO FORGE

System Type: Nontransient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Substantial System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE				
Sampling Location	Facility ID: <b>DS1</b> SMP ID: <b>DS000</b>	Facility Name: CARBO FORGE, INC. DISTRIBUTION		
Chemicals		Monitoring Requirements		
TOTAL COLIFORM (TCR) - 3100  1 Sample(s) Required between 1 Sample(s) Required between 1 Sample(s) Required between 1 Sample(s) Required between		1 Sample(s) Required between 4/1/2018 and 6/30/2 1 Sample(s) Required between 7/1/2018 and 9/30/2	2018 2018	
Sampling	Facility ID: DS1	Facility Name: CARBO FORGE, INC. DISTRIBUTION		
Location	SMP ID: LC###	Refer to your Lead and Copper plan for SMP IDs		
Chemicals		Monitoring Requirements		
LEAD - 1030 AND COPPER - 1022		5 Sample(s) Required between 6/1/2018 and 9/30/2	2018	

Lead consumer notice must be completed no later than two business days after receipt of the sample results. The verification form for consumer notice must be submitted to Ohio EPA no later than five business days after receipt of the sample results. Lead and copper sample monitoring point (SMP) IDs (LC###) must be current and reflect properly tiered sites according to OAC Rule 3745-81-86. Submit lead and copper SMP ID revisions to your Ohio EPA District Office. Forms and templates are available online at http://epa.ohio.gov/ddagw/pws/leadandcopper.aspx. For questions contact your Ohio EPA District Office representative.



#### HAYES MEDICAL CENTER OH7252712

Operating Period: 1/1 to 12/31 System Type: Transient Noncommunity

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: HAYES MEDICAL CENTER DISTRIBUTION

Location SMP ID: DS000	Facility Source: Ground Water	
Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 12/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



## OH7252712 HAYES MEDICAL CENTER

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7258013 Facility Name: HAYES MEDICAL CENTER


**Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



## OH7253012 RIVERFRONT MARINA

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: RIVERFRONT MARINA DISTRIBUTION


**Location** SMP ID: **SUP01** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

TOTAL COLIFORM - SEASONAL STARTUP

At least 1 negative Total Coliform Bacteria sample prior to serving water to the public

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.

<sup>\*\*\*</sup> Seasonal start-up sample does not count for routine compliance requirements. Collect at least one special purpose (SP) sample for total coliform (TC) analysis at the service connection considered to be most susceptible to contamination. The sample must be TC negative before the system may serve water to the public. If the sample is positive, contact your Ohio EPA District Representative for additional requirements. If your start date is different from last year, please contact your Ohio EPA District Representative.\*\*\*



## OH7253012 RIVERFRONT MARINA

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: RIVERFRONT MARINA DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water

Location Sivil ID. DS000	racinty source. Ground water	
Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 1/31/2018
	1 Sample(s) Required between	2/1/2018 and 2/28/2018
	1 Sample(s) Required between	3/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 4/30/2018
	1 Sample(s) Required between	5/1/2018 and 5/31/2018
	1 Sample(s) Required between	6/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 7/31/2018
	1 Sample(s) Required between	8/1/2018 and 8/31/2018
	1 Sample(s) Required between	9/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 10/31/2018
	1 Sample(s) Required between	11/1/2018 and 11/30/2018
	1 Sample(s) Required between	12/1/2018 and 12/31/2018
	• ` ` ` •	

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



## OH7253012 RIVERFRONT MARINA

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7258016 Facility Name: RIVERFRONT MARINA


**Location** SMP ID: **EP001** Facility Source: **Ground Water** Facility Class: **CLASS A** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### FIRELANDS COUNSELING AND RECOVERY OH7255212

Operating Period: 1/1 to 12/31 System Type: Transient Noncommunity

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Facility Name: FIRELANDS COUNSELING & R DISTRIBUTION Sampling Facility ID: **DS1** 

Facility Source: Ground Water	
Monitoring Requirements	
1 Sample(s) Required between	1/1/2018 and 3/31/2018
1 Sample(s) Required between	4/1/2018 and 6/30/2018
1 Sample(s) Required between	7/1/2018 and 9/30/2018
1 Sample(s) Required between	10/1/2018 and 12/31/2018
	Monitoring Requirements  1 Sample(s) Required between 1 Sample(s) Required between 1 Sample(s) Required between

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



## OH7255212 FIRELANDS COUNSELING AND RECOVERY

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7258033 Facility Name: FIRELANDS COUNSELING AND RECOVERY


Location SMP ID: EP001 Facility Source: Ground Water

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### **GRATES SILVER TOP TAVERN** OH7255712

Operating Period: 1/1 to 12/31 System Type: Transient Noncommunity

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name:	GRATES SILVER TOP TAVERN DISTRIBUTION

Facility Source: Ground Water	
Monitoring Requirements	
1 Sample(s) Required between	1/1/2018 and 3/31/2018
1 Sample(s) Required between	4/1/2018 and 6/30/2018
1 Sample(s) Required between	7/1/2018 and 9/30/2018
1 Sample(s) Required between	10/1/2018 and 12/31/2018
	Monitoring Requirements  1 Sample(s) Required between 1 Sample(s) Required between 1 Sample(s) Required between

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



## OH7255712 GRATES SILVER TOP TAVERN

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7258037 Facility Name: GRATES SILVER TOP TAVERN


Location SMP ID: EP001 Facility Source: Ground Water

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



## OH7255912 CONNER COMMUNITY PARK RESTROOM BLDG #1

System Type: Transient Noncommunity Operating Period: 4/1 to 10/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: CONNER COMMUNITY PARK-RESTROOM BLDG DIST


**Location** SMP ID: **SUP01** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

TOTAL COLIFORM - SEASONAL STARTUP

At least 1 negative Total Coliform Bacteria sample prior to serving water to the public

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.

<sup>\*\*\*</sup> Seasonal start-up sample does not count for routine compliance requirements. Collect at least one special purpose (SP) sample for total coliform (TC) analysis at the service connection considered to be most susceptible to contamination. The sample must be TC negative before the system may serve water to the public. If the sample is positive, contact your Ohio EPA District Representative for additional requirements. If your start date is different from last year, please contact your Ohio EPA District Representative.\*\*\*



## OH7255912 CONNER COMMUNITY PARK RESTROOM BLDG #1

System Type: Transient Noncommunity Operating Period: 4/1 to 10/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: CONNER COMMUNITY PARK-RESTROOM BLDG DIST

Location SMP ID: DS000 Facility Source: Ground Water


 Chemicals
 Monitoring Requirements

 TOTAL COLIFORM (TCR) - 3100
 1 Sample(s) Required between
 4/15/2018 and 6/30/2018

 1 Sample(s) Required between
 7/1/2018 and 9/30/2018

 1 Sample(s) Required between
 10/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



## OH7255912 CONNER COMMUNITY PARK RESTROOM BLDG #1

System Type: Transient Noncommunity Operating Period: 4/1 to 10/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7258039 Facility Name: CONNER COMMUNITY PARK RESTROOM BLDG


**Location** SMP ID: **EP001** Facility Source: **Ground Water** Facility Class: **CLASS A** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



## OH7256212 WHITE STAR CONCESSION 4

System Type: Transient Noncommunity Operating Period: 5/1 to 9/30

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: WHITE STAR CONCESSION 4 DISTRIBUTION


**Location** SMP ID: **SUP01** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

TOTAL COLIFORM - SEASONAL STARTUP

At least 1 negative Total Coliform Bacteria sample prior to serving water to the public

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.

<sup>\*\*\*</sup> Seasonal start-up sample does not count for routine compliance requirements. Collect at least one special purpose (SP) sample for total coliform (TC) analysis at the service connection considered to be most susceptible to contamination. The sample must be TC negative before the system may serve water to the public. If the sample is positive, contact your Ohio EPA District Representative for additional requirements. If your start date is different from last year, please contact your Ohio EPA District Representative.\*\*\*



## OH7256212 WHITE STAR CONCESSION 4

System Type: Transient Noncommunity Operating Period: 5/1 to 9/30

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: WHITE STAR CONCESSION 4 DISTRIBUTION


Location SMP ID: DS000 Facility Source: Ground Water

Chemicals Monitoring Requirements

TOTAL COLIFORM (TCR) - 3100 1 Sample(s) Required between 5/25/2018 and 6/30/2018

1 Sample(s) Required between 7/1/2018 and 9/30/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



## OH7256212 WHITE STAR CONCESSION 4

System Type: Transient Noncommunity Operating Period: 5/1 to 9/30

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7258041 Facility Name: WHITE STAR CONCESSION NO 4


**Location** SMP ID: **EP001** Facility Source: **Ground Water** Facility Class: **CLASS A** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



# OH7256312 MAUCH FARMS AMLC 5

System Type: Transient Noncommunity Operating Period: 5/1 to 10/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: MAUCH FARMS AMLC 5 DISTRIBUTION

**Location** SMP ID: **SUP01** Facility Source: **Ground Water** 


Chemicals Monitoring Requirements

TOTAL COLIFORM - SEASONAL STARTUP

At least 1 negative Total Coliform Bacteria sample prior to serving

water to the public

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.

<sup>\*\*\*</sup> Seasonal start-up sample does not count for routine compliance requirements. Collect at least one special purpose (SP) sample for total coliform (TC) analysis at the service connection considered to be most susceptible to contamination. The sample must be TC negative before the system may serve water to the public. If the sample is positive, contact your Ohio EPA District Representative for additional requirements. If your start date is different from last year, please contact your Ohio EPA District Representative.\*\*\*



## OH7256312 MAUCH FARMS AMLC 5

System Type: Transient Noncommunity Operating Period: 5/1 to 10/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.


Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: MAUCH FARMS AMLC 5 DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



## OH7256312 MAUCH FARMS AMLC 5

System Type: Transient Noncommunity Operating Period: 5/1 to 10/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378


# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7258042 Facility Name: MAUCH FARMS AMLC NO 5

**Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 1/1/2018 and 3/31/2018
	1 Sample(s) Required between 4/1/2018 and 6/30/2018
	1 Sample(s) Required between 7/1/2018 and 9/30/2018
	1 Sample(s) Required between 10/1/2018 and 12/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### SYCAMORE HILLS GOLF CLUB - CLUBHOUSE OH7256412

Operating Period: 1/1 to 12/31 System Type: Transient Noncommunity

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: SYCAMORE HILLS/CLUBHOUSE DISTRIBUTION

Location SMP ID: DS000	Facility Source: Ground Water	
Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 12/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



# OH7256412 SYCAMORE HILLS GOLF CLUB - CLUBHOUSE

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7258043 Facility Name: SYCAMORE HILLS CLUBHOUSE


**Location** SMP ID: **EP001** Facility Source: **Ground Water** Facility Class: **CLASS A** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



## OH7256512 TRACTOR SUPPLY COMPANY - FREMONT

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378


# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: TRACTOR SUPPLY COMPANY - FREMONT DISTRIB

**Location** SMP ID: **DS000** Facility Source: **Ground Water** 

Location SIMP ID. DS000	racinty Source. Ground water	
Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/20	018 and 3/31/2018
	1 Sample(s) Required between 4/1/20	018 and 6/30/2018
	1 Sample(s) Required between 7/1/20	018 and 9/30/2018
	1 Sample(s) Required between 10/1/20	oll and 12/31/2018
	1 Sample(s) Required between 1/1/20 1 Sample(s) Required between 4/1/20 1 Sample(s) Required between 7/1/20	oll and 6/30/2018 oll and 9/30/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



## OH7256512 TRACTOR SUPPLY COMPANY - FREMONT

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

# ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7258044 Facility Name: TRACTOR SUPPLY CO-FREMONT


**Location** SMP ID: **EP001** Facility Source: **Ground Water** Facility Class: **CLASS A** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### DR KURT D HARRISON DO OH7256712

Operating Period: 1/1 to 12/31 System Type: Transient Noncommunity

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

## DISTRIBUTION MONITORING SCHEDULE

Facility Name: DR BURGER DENTAL OFFICE DISTRIBUTION Sampling Facility ID: DS1

Facility Source: Ground Water	
Monitoring Requirements	
1 Sample(s) Required between	1/1/2018 and 3/31/2018
1 Sample(s) Required between	4/1/2018 and 6/30/2018
1 Sample(s) Required between	7/1/2018 and 9/30/2018
1 Sample(s) Required between	10/1/2018 and 12/31/2018
	Monitoring Requirements  1 Sample(s) Required between 1 Sample(s) Required between 1 Sample(s) Required between

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7256712 DR KURT D HARRISON DO

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378


### ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7258046 Facility Name: DR BURGER DENTAL OFFICE

Location SMP ID: EP001 Facility Source: Ground Water

Location SMI ID. EFOOT	racinty source. Ground water	
Chemicals	Monitoring Requirements	
NITRITE - 1041	1 Sample(s) Required between	6/1/2018 and 10/31/2018
NITRATE - 1040	1 Sample(s) Required between	6/1/2018 and 10/31/2018

## Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7256912 HELENA MIGRANT HEAD START CENTER

System Type: Transient Noncommunity Operating Period: 7/1 to 10/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: HELENA MIGRANT HEAD STRI DISTRIBUTION


**Location** SMP ID: **SUP01** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

TOTAL COLIFORM - SEASONAL STARTUP

At least 1 negative Total Coliform Bacteria sample prior to serving water to the public

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.

<sup>\*\*\*</sup> Seasonal start-up sample does not count for routine compliance requirements. Collect at least one special purpose (SP) sample for total coliform (TC) analysis at the service connection considered to be most susceptible to contamination. The sample must be TC negative before the system may serve water to the public. If the sample is positive, contact your Ohio EPA District Representative for additional requirements. If your start date is different from last year, please contact your Ohio EPA District Representative.\*\*\*



### OH7256912 HELENA MIGRANT HEAD START CENTER

System Type: Transient Noncommunity Operating Period: 7/1 to 10/31

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: HELENA MIGRANT HEAD STRI DISTRIBUTION


Location SMP ID: DS000 Facility Source: Ground Water

Chemicals Monitoring Requirements

TOTAL COLIFORM (TCR) - 3100 1 Sample(s) Required between 7/1/2018 and 9/30/2018

1 Sample(s) Required between 10/1/2018 and 10/31/2018

## Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7256912 HELENA MIGRANT HEAD START CENTER

System Type: Transient Noncommunity Operating Period: 7/1 to 10/31

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7258048 Facility Name: HELENA MIGRANT HD START


**Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

## Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7257012 CONNER COMMUNITY PARK RESTROOM BLDG #2

System Type: Transient Noncommunity Operating Period: 4/1 to 10/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: CONNER COMM PK-MAINT BLD DISTRIBUTION

**Location** SMP ID: **SUP01** Facility Source: **Ground Water** 


Chemicals Monitoring Requirements

TOTAL COLIFORM - SEASONAL STARTUP

At least 1 negative Total Coliform Bacteria sample prior to serving

water to the public

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.

<sup>\*\*\*</sup> Seasonal start-up sample does not count for routine compliance requirements. Collect at least one special purpose (SP) sample for total coliform (TC) analysis at the service connection considered to be most susceptible to contamination. The sample must be TC negative before the system may serve water to the public. If the sample is positive, contact your Ohio EPA District Representative for additional requirements. If your start date is different from last year, please contact your Ohio EPA District Representative.\*\*\*



### OH7257012 CONNER COMMUNITY PARK RESTROOM BLDG #2

System Type: Transient Noncommunity Operating Period: 4/1 to 10/31

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: CONNER COMM PK-MAINT BLD DISTRIBUTION

**Location** SMP ID: **DS000** Facility Source: **Ground Water** 


 Chemicals
 Monitoring Requirements

 TOTAL COLIFORM (TCR) - 3100
 1 Sample(s) Required between
 4/15/2018 and 6/30/2018

 1 Sample(s) Required between
 7/1/2018 and 9/30/2018

 1 Sample(s) Required between
 10/1/2018 and 10/31/2018

## Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7257012 CONNER COMMUNITY PARK RESTROOM BLDG #2

System Type: Transient Noncommunity Operating Period: 4/1 to 10/31

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7258049 Facility Name: CONNER PARK MAINTENANCE BLDG


**Location** SMP ID: **EP001** Facility Source: **Ground Water** Facility Class: **CLASS A** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

## Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### OH7257212 DASHMESH TRUCK STOP, LLC

Operating Period: 1/1 to 12/31 System Type: Transient Noncommunity

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

## DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: DASHMESH TRUCK STOP, LLC DISTRIBUTION

Facility Source: Ground Water	
Monitoring Requirements	
1 Sample(s) Required between	1/1/2018 and 3/31/2018
1 Sample(s) Required between	4/1/2018 and 6/30/2018
1 Sample(s) Required between	7/1/2018 and 9/30/2018
1 Sample(s) Required between	10/1/2018 and 12/31/2018
	Monitoring Requirements  1 Sample(s) Required between 1 Sample(s) Required between 1 Sample(s) Required between

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7257212 DASHMESH TRUCK STOP, LLC

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7258051 Facility Name: DASHMESH TRUCK STOP, LLC TP


Location SMP ID: EP001 Facility Source: Ground Water

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

## Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### OH7257512 DR CURL DENTAL OFFICE

Operating Period: 1/1 to 12/31 System Type: Transient Noncommunity

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

## DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: DR. CURL DENTAL OFFICE DISTRIBUTION

Location SMP ID: DS000	Facility Source: Ground Water	
Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 12/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7257512 DR CURL DENTAL OFFICE

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7258053 Facility Name: DR CURL DENTAL OFFICE


**Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 10/1/2018 and 12/31/2018

## Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### MEMORIAL HOSPITAL MEDICAL BUILDING OH7257612

Operating Period: 1/1 to 12/31 System Type: Transient Noncommunity

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378


### DISTRIBUTION MONITORING SCHEDULE

Facility Name: MEMORIAL HOSPITAL MEDICAL BUILDING DISTR Sampling Facility ID: **DS1** 

action SMP ID: DS000

Location SMP ID: DS000	Facility Source: Ground water		
Chemicals	Monitoring Requirements		
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 3/31/2018	
	1 Sample(s) Required between	4/1/2018 and 6/30/2018	
	1 Sample(s) Required between	7/1/2018 and 9/30/2018	
	1 Sample(s) Required between	10/1/2018 and 12/31/2018	

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7257612 MEMORIAL HOSPITAL MEDICAL BUILDING

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7258054 Facility Name: MEMORIAL HOSPITAL MEDICAL BLDG IRAM ZUBA


Location SMP ID: EP001 Facility Source: Ground Water

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

## Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### OH7258012 MICHAEL E GRILLIS DO INC

Operating Period: 1/1 to 12/31 System Type: Transient Noncommunity

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

## DISTRIBUTION MONITORING SCHEDULE

Facility Name: MICHAEL GRILLIS, DO MEDICAL OFFICE DISTR Sampling Facility ID: **DS1** 

Facility Source: Ground Water	
Monitoring Requirements	
1 Sample(s) Required between	1/1/2018 and 3/31/2018
1 Sample(s) Required between	4/1/2018 and 6/30/2018
1 Sample(s) Required between	7/1/2018 and 9/30/2018
1 Sample(s) Required between	10/1/2018 and 12/31/2018
	Monitoring Requirements  1 Sample(s) Required between 1 Sample(s) Required between 1 Sample(s) Required between

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7258012 MICHAEL E GRILLIS DO INC

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7260770 Facility Name: MICHAEL GRILLIS, DO MEDICAL OFFICE


Location SMP ID: EP001 Facility Source: Ground Water

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

## Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



## OH7258112 ROBERT J DORNAUER, DDS, INC

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378


### DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: ROBERT DORNAUER, DDS DENTAL OFC DISTRIBU

**Location** SMP ID: **DS000** Facility Source: **Ground Water** 

Location SMF ID. DS000	racinty Source. Ground water	
Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 12/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7258112 ROBERT J DORNAUER, DDS, INC

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7260745 Facility Name: ROBERT DORNAUER, DDS DENTAL OFFICE


Location SMP ID: EP001 Facility Source: Ground Water

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

## Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7258212 NORTH COAST ORTHOPEDICS SURGERY PWS

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System


## THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE			
Sampling Facility ID: DS1 Location SMP ID: DS000	Facility Name: NORTH COAST ORTHOPEDICS SURGERY, INC. DI Facility Source: Ground Water		
Chemicals	Monitoring Requirements		
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2018 and 1/31/2018		
	1 Sample(s) Required between 2/1/2018 and 2/28/2018		
	1 Sample(s) Required between 3/1/2018 and 3/31/2018		
	1 Sample(s) Required between 4/1/2018 and 4/30/2018		
	1 Sample(s) Required between 5/1/2018 and 5/31/2018		
	1 Sample(s) Required between 6/1/2018 and 6/30/2018		
	1 Sample(s) Required between 7/1/2018 and 7/31/2018		
	1 Sample(s) Required between 8/1/2018 and 8/31/2018		
	1 Sample(s) Required between 9/1/2018 and 9/30/2018		
	1 Sample(s) Required between 10/1/2018 and 10/31/2018		
	1 Sample(s) Required between 11/1/2018 and 11/30/2018		
	1 Sample(s) Required between 12/1/2018 and 12/31/2018		

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7258212 NORTH COAST ORTHOPEDICS SURGERY PWS

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7260804 Facility Name: NORTH COAST ORTHOPEDICS SURGERY, INC


Location SMP ID: EP001 Facility Source: Ground Water

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

## Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### OH7258312 DR DEFRANCE OFFICE PWS

Operating Period: 1/1 to 12/31 System Type: Transient Noncommunity

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.


Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

## DISTRIBUTION MONITORING SCHEDULE

Location SMP ID: DS000	Facility Source: Ground Water	
Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 12/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7258312 DR DEFRANCE OFFICE PWS

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7260955 Facility Name: DR DEFRANCE OFFICE


**Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

## Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7258512 CACTUS FLATS CAMPGROUND PWS

System Type: Transient Noncommunity Operating Period: 4/1 to 10/31

Ground Water Rule Substantial System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: CACTUS FLATS CAMPGROUND DISTRIBUTION


Location SMP ID: SUP01 Facility Source: Ground Water

Chemicals Monitoring Requirements

TOTAL COLIFORM - SEASONAL STARTUP

At least 1 negative Total Coliform Bacteria sample prior to serving water to the public

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.

<sup>\*\*\*</sup> Seasonal start-up sample does not count for routine compliance requirements. Collect at least one special purpose (SP) sample for total coliform (TC) analysis at the service connection considered to be most susceptible to contamination. The sample must be TC negative before the system may serve water to the public. If the sample is positive, contact your Ohio EPA District Representative for additional requirements. If your start date is different from last year, please contact your Ohio EPA District Representative.\*\*\*



### OH7258512 CACTUS FLATS CAMPGROUND PWS

System Type: Transient Noncommunity Operating Period: 4/1 to 10/31

Ground Water Rule Substantial System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: CACTUS FLATS CAMPGROUND DISTRIBUTION

Location SMP ID: DS000 Facility Source: Ground Water


 Chemicals
 Monitoring Requirements

 TOTAL COLIFORM (TCR) - 3100
 1 Sample(s) Required between
 4/28/2018 and 6/30/2018

 1 Sample(s) Required between
 7/1/2018 and 9/30/2018

 1 Sample(s) Required between
 10/1/2018 and 10/31/2018

## Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7258512 CACTUS FLATS CAMPGROUND PWS

System Type: Transient Noncommunity Operating Period: 4/1 to 10/31

Ground Water Rule Substantial System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7261364 Facility Name: CACTUS FLATS CAMPGROUND


**Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 10/1/2018 and 12/31/2018

## Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7258612 BALLVILLE SUBWAY PWS

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System


## THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE			
Facility Name: BALLVILLE SUBWAY DISTRIBUTION Facility Source: Ground Water			
Monitoring Requirements			
1 Sample(s) Required between 1/1/2018 and 1/31/2018			
1 Sample(s) Required between 2/1/2018 and 2/28/2018			
1 Sample(s) Required between 3/1/2018 and 3/31/2018			
1 Sample(s) Required between 4/1/2018 and 4/30/2018			
1 Sample(s) Required between 5/1/2018 and 5/31/2018			
1 Sample(s) Required between 6/1/2018 and 6/30/2018			
1 Sample(s) Required between 7/1/2018 and 7/31/2018			
1 Sample(s) Required between 8/1/2018 and 8/31/2018			
1 Sample(s) Required between 9/1/2018 and 9/30/2018			
1 Sample(s) Required between 10/1/2018 and 10/31/2018			
1 Sample(s) Required between 11/1/2018 and 11/30/2018			
1 Sample(s) Required between 12/1/2018 and 12/31/2018			

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7258612 BALLVILLE SUBWAY PWS

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7261437 Facility Name: BALLVILLE SUBWAY - CROSSROADS STORE


**Location** SMP ID: **EP001** Facility Source: **Ground Water** Facility Class: **CLASS A** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

## Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7258812 C M SCHERMERHORN MD

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System


## THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE			
Sampling Facility ID: DS1 Location SMP ID: DS000	Facility Name: C M SCHERMERHORN MD DISTRIBUTION Facility Source: Ground Water		
Chemicals	Monitoring Requirements		
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/20	018 and 1/31/2018	
	1 Sample(s) Required between 2/1/20	018 and 2/28/2018	
	1 Sample(s) Required between 3/1/20	018 and 3/31/2018	
	1 Sample(s) Required between 4/1/20	018 and 4/30/2018	
	1 Sample(s) Required between 5/1/20	018 and 5/31/2018	
	1 Sample(s) Required between 6/1/20	018 and 6/30/2018	
	1 Sample(s) Required between 7/1/20	018 and 7/31/2018	
	1 Sample(s) Required between 8/1/20	018 and 8/31/2018	
	1 Sample(s) Required between 9/1/20	018 and 9/30/2018	
	1 Sample(s) Required between 10/1/20	018 and 10/31/2018	
	1 Sample(s) Required between 11/1/20	018 and 11/30/2018	
	1 Sample(s) Required between 12/1/20	018 and 12/31/2018	

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7258812 C M SCHERMERHORN MD

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7261460 Facility Name: C M SCHERMERHORN MD


Location SMP ID: EP001 Facility Source: Ground Water

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

## Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



#### OH7258912 FIRST CHURCH OF GOD - RISINGSUN PWS

Operating Period: 1/1 to 12/31 System Type: Transient Noncommunity

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

## DISTRIBUTION MONITORING SCHEDULE

Facility Name: FIRST CHURCH OF GOD - RISINGSUN DISTRIBU Sampling Facility ID: **DS1** 

Location SMP ID: DS000	Facility Source: Ground Water	
Chemicals	Monitoring Requirements	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 3/31/2018
	1 Sample(s) Required between	4/1/2018 and 6/30/2018
	1 Sample(s) Required between	7/1/2018 and 9/30/2018
	1 Sample(s) Required between	10/1/2018 and 12/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7258912 FIRST CHURCH OF GOD - RISINGSUN PWS

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7261837 Facility Name: FIRST CHURCH OF GOD


**Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

## Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7259212 DAVIS BESSE EOF PWS

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378


# DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: DAVIS BESSE EOF DIST

**Location** SMP ID: **DS000** Facility Source: **Ground Water** 

racinty Source. Ground water	
Monitoring Requirements	
1 Sample(s) Required between	1/1/2018 and 3/31/2018
1 Sample(s) Required between	4/1/2018 and 6/30/2018
1 Sample(s) Required between	7/1/2018 and 9/30/2018
1 Sample(s) Required between	10/1/2018 and 12/31/2018
	Monitoring Requirements  1 Sample(s) Required between 1 Sample(s) Required between 1 Sample(s) Required between

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7259212 DAVIS BESSE EOF PWS

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7262501 Facility Name: DAVIS BESSE EOF


**Location** SMP ID: **EP001** Facility Source: **Ground Water** 

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

## Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



OH7259312 LAKOTA PRE K-12 SCHOOL

System Type: Nontransient Noncommunity Operating Period: 1/1 to 12/31

## ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7262505 Facility Name: LAKOTA PRE K - 12 SCHOOL

Location SMP ID: EP001 Facility Source: Ground Water Facility Class: CLASS 1

## THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements	
INORGANICS	Not Required	
NITRITE - 1041	Not Required	
NITRATE - 1040	1 Sample(s) Required between	6/1/2018 and 10/31/2018
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1 <u>Sample for all the analytes listed below:</u> ALACHLOR (LASSO) - 2051 ATRAZINE - 2050 SIMAZINE - 2037	1 Sample(s) Required between	6/1/2018 and 10/31/2018
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required	



### OH7259312 LAKOTA PRE K-12 SCHOOL

System Type: Nontransient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Substantial System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE				
Sampling Location	Facility ID: <b>DS1</b> SMP ID: <b>DS000</b>	Facility Name: LAKOTA PRE K-12 SCHOOL DIST	<b>FRIBUTION</b> Facility Class: <b>CLASS 1</b>	
Chemicals		Monitoring Requirements		
TOTAL COLI	FORM (TCR) - 3100	2 Sample(s) Required between	1/1/2018 and 1/31/2018 2/1/2018 and 2/28/2018 3/1/2018 and 3/31/2018 4/1/2018 and 4/30/2018 5/1/2018 and 5/31/2018 6/1/2018 and 6/30/2018 7/1/2018 and 6/30/2018 7/1/2018 and 8/31/2018 8/1/2018 and 8/31/2018 9/1/2018 and 9/30/2018 10/1/2018 and 10/31/2018 11/1/2018 and 11/30/2018 12/1/2018 and 12/31/2018	
TOTAL CHLO	ORINE - 1000	2 Sample(s) Required between	1/1/2018 and 1/31/2018 2/1/2018 and 2/28/2018 3/1/2018 and 3/31/2018 4/1/2018 and 4/30/2018 5/1/2018 and 5/31/2018 6/1/2018 and 6/30/2018 7/1/2018 and 6/30/2018 8/1/2018 and 8/31/2018 8/1/2018 and 8/31/2018 9/1/2018 and 9/30/2018 10/1/2018 and 10/31/2018 11/1/2018 and 11/30/2018 12/1/2018 and 12/31/2018	

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Facility ID: DS1 Facility Name: LAKOTA PRE K-12 SCHOOL DISTRIBUTION Facility Class: CLASS 1
Location SMP ID: DS201 ELEMENTARY REST ROOM

Chemicals Monitoring Requirements

DISINFECTION BYPRODUCTS

Dual Sample Required between 7/1/2018 and 9/30/2018 at: DS201

Sample for all the analytes listed below:

1) TOTAL HALOACETIC ACIDS (HAA5) - 2456

2) TTHM - 2950



### OH7259312 LAKOTA PRE K-12 SCHOOL

System Type: Nontransient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Substantial System

#### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

## DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: LAKOTA PRE K-12 SCHOOL DISTRIBUTION Facility Class: CLASS 1

Location SMP ID: DS202 BUS GARAGE

Chemicals Monitoring Requirements

DISINFECTION BYPRODUCTS

Dual Sample Required between 7/1/2018 and 9/30/2018 at: DS202

Sample for all the analytes listed below:

1) TOTAL HALOACETIC ACIDS (HAA5) - 2456

2) TTHM - 2950

Sampling Facility ID: DS1 Facility Name: LAKOTA PRE K-12 SCHOOL DISTRIBUTION Facility Class: CLASS 1

Location SMP ID: LC### Refer to your Lead and Copper plan for SMP IDs

Chemicals Monitoring Requirements

LEAD - 1030 AND COPPER - 1022 10 Sample(s) Required between 6/1/2018 and 9/30/2018

Lead consumer notice must be completed no later than two business days after receipt of the sample results. The verification form for consumer notice must be submitted to Ohio EPA no later than five business days after receipt of the sample results. Lead and copper sample monitoring point (SMP) IDs (LC###) must be current and reflect properly tiered sites according to OAC Rule 3745-81-86. Submit lead and copper SMP ID revisions to your Ohio EPA District Office. Forms and templates are available online at http://epa.ohio.gov/ddagw/pws/leadandcopper.aspx. For questions contact your Ohio EPA District Office representative.



### OH7259313 CHATEAU TEBEAU

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.


For water emergencies that occur after hours, please call 800-282-9378

## DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: DISTRIBUTION

Location SMP ID: DS000	Facility Source:
Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2018 and 3/31/2018
	1 Sample(s) Required between 4/1/2018 and 6/30/2018
	1 Sample(s) Required between 7/1/2018 and 9/30/2018
	1 Sample(s) Required between 10/1/2018 and 12/31/2018

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7259313 CHATEAU TEBEAU

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7262506 Facility Name: CHATEAU TEBEAU


**Location** SMP ID: **EP001** Facility Source:

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

## Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7259314 CREEKBEND FARM NATURE CENTER PWS

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System


## THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE			
Sampling Facility ID: DS1 Location SMP ID: DS000	Facility Name: <b>DISTRIBUTION</b> Facility Source: <b>Ground Water</b>		
Chemicals	Monitoring Requirements		
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2018 and 1/31/2018	
	1 Sample(s) Required between	2/1/2018 and 2/28/2018	
	1 Sample(s) Required between	3/1/2018 and 3/31/2018	
	1 Sample(s) Required between	4/1/2018 and 4/30/2018	
	1 Sample(s) Required between	5/1/2018 and 5/31/2018	
	1 Sample(s) Required between	6/1/2018 and 6/30/2018	
	1 Sample(s) Required between	7/1/2018 and 7/31/2018	
	1 Sample(s) Required between	8/1/2018 and 8/31/2018	
	1 Sample(s) Required between	9/1/2018 and 9/30/2018	
	1 Sample(s) Required between	10/1/2018 and 10/31/2018	
	1 Sample(s) Required between	11/1/2018 and 11/30/2018	
	1 Sample(s) Required between	12/1/2018 and 12/31/2018	

# Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.



### OH7259314 CREEKBEND FARM NATURE CENTER PWS

System Type: Transient Noncommunity Operating Period: 1/1 to 12/31

Ground Water Rule Minimal Treatment System

### THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. Also, monitoring schedules may be revised during the year based on sampling results.

For water emergencies that occur after hours, please call 800-282-9378

### ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7262507 Facility Name: CREEKBEND FARM NATURE CENTER


Location SMP ID: EP001 Facility Source: Ground Water

Chemicals Monitoring Requirements

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2018 and 10/31/2018

## Where to Collect Samples For a Small Public Water System



Failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf.